
C. Cocquyt W. Vyverman P. Compère

A check-list of the algal flora of the East African Great Lakes



C. Cocquyt, W. Vyverman & P. Compère

A check-list of the algal flora of the East African Great Lakes (Malawi, Tanganyika and Victoria)



Meise National Botanic Garden of Belgium 1993

Scripta Botanica Belgica

Miscellaneous documentation edited by the National Botanic Garden of Belgium

Series editor: E. Robbrecht

Volume 8

C. Cocquyt, W. Vyverman & P. Compère

A check-list of the algal flora of the East African Great Lakes (Malawi, Tanganyika and Victoria)

CIP Royal Library Albert I, Brussels

A check-list of the algal flora of the East African Great Lakes (Malawi, Tanganyika and Victoria). C. Cocquyt, W. Vyverman and P. Compère. — Meise: Ministry of Agriculture. Administration of Agricultural Research. National Botanic Garden of Belgium, 1993. — 55 p.; 24.5 cm. — (Scripta botanica Belgica; Vol. 8).

ISBN 90-72619-15-3 ISSN 0779-2387

D/1993/0325/5

Adresses of the authors:

C. Cocquyt (author for correspondence) & W. Vyverman Universiteit Gent, Vakgroep Morfologie, Systematiek en Ecologie, K.L. Ledeganckstraat 35, B-9000 Gent (Belgium)

P. Compère

Jardin Botanique National de Belgique, Domaine de Bouchout, B-1860 Meise (Belgique)

Copyright © National Botanic Garden of Belgium, Meise Printed in Belgium by Universa Wetteren

Introduction

The first publications on the algal flora of the East African great lakes date back from the end of last century. In 1880, DICKIE studied a small collection of algae, attached on aquatic phanerogames, from Livingstone's mission on the shores of Lake Nyasa (now also called Lake Malawi). In 1898 SCHMIDLE published on the desmids from East Africa; a year later, the first work on planktonic algae from Lake Malawi was published by the same author (SCHMIDLE 1899). SCHMIDLE continued his research on the algae from Lake Malawi, resulting in more papers at the beginning of this century (1902 a,b). In the early twentieth century, Lake Malawi had attracted the attention of other scientists (ENGLER 1902, MÜLLER 1903, 1904, 1905, 1914). During this period, the first records of algae from Lake Tanganyika, collected during the third Tanganyika expedition, conducted by Dr. Cunnington, were published by WEST (1907). From 1908 till 1933, several scientists were interested in the algal flora of Lake Victoria (BACHMAN 1933, BORGE 1928, OSTENFELD 1908, 1909, SCHRÖDER 1912, VIRIEUX 1913, WOLOSZYNSKA 1914).

After this first period of rather intensive research on the algal communities in the three East African great lakes, no reports on phytoplankton investigation were published during the following two decades. A renewed interest in the taxonomy of the algae can be noticed after the second world war, when new expeditions to the lakes were organised. A survey of the algal flora of the East African Rift area was given by VAN MEEL (1954). Research was done on the algae of the great lakes (Evans 1962, Richardson 1964, Ross 1953, 1955, TALLING 1965 a,b). Sediment cores from Lake Tanganvika were studied (KUFFERATH 1956), and reports on blue-green algae for the last mentioned lake were given (SYMOENS 1955 a,b, 1956). Investigations on diatoms were undertaken in Lake Malawi (MONTEIRO 1960, 1963). In Lake Victoria, phytoplankton was examined (TALLING 1966, 1987, THOMASSON 1955), with special attention to desmids (GRÖNBLAD et al. 1964). However most studies were focused on the ecology of phytoplankton communities (e.g. HABERYAN & MHONE 1991, HECKY et al. 1978, 1981, 1987, TALLING 1965 a, b).

The present-day concern about pollution and the conservation of biodiversity, undoubtedly stimulated recent systematic investigations of the algal flora. During the last years, Lake Tanganyika has attracted most attention (Caljon 1987 a, Caljon & Cocquyt 1992, Cocquyt 1991, Kociolek & Stoermer 1991, 1993), followed by Lake Malawi (Klee et al. 1990, Klee & Casper 1992, Vyverman & Cocquyt 1993). However, much less work has been done recently on Lake Victoria. While in the past planktonic communities received most attention, recent studies focused on littoral and benthic communities.

Nomenclatural and taxonomic revisions of the algal flora during the last years, resulted in important changes of the taxa. The revisions were mainly done on temperate algae, and were made possible thanks to the development of new microscopic techniques (e.g. scanning and transmission electron microscopy, interference microscopy, ...). These important changes in the algal taxonomy, and the renewed extensive scientific interest in the three East African great lakes — Lake Malawi, Lake Tanganyika and Lake Victoria — was the main stimulus for the preparation of an up-to-date check-list of the three East African great lakes. However, the amount of research done on the algal flora of Lake Tanganyika, especially of benthic and littoral communities, was greater than for Lake Malawi and Lake Victoria. This resulted in a greater number of taxa reported from Lake Tanganyika (COCQUYT & VYVERMAN 1993 b).

The taxonomical groups, represented by the greatest number of infrageneric taxa, are the Bacillariophyta, followed by the Chlorophyta in Lake Nyasa and Lake Tanganyika. In Lake Victoria the Chlorophyta are most extensively studied, resulting in a greater number of reported infrageneric taxa than in the Bacillariophyta. The present list takes into account the recent evolution in taxonomy and nomenclature. However, revision is needed for many tropical taxa and populations of cosmopolitan species in the tropics. Moreover, it was not possible to check all records, so that it remains possible that literature records of a number of taxa are based on erroneous identifications.

The numbers of infrageneric taxa and genera per major taxonomic group, recorded from Lake Malawi, Lake Tanganyika and Lake Victoria are shown in the following table:

Taxonomic group	Tot	al	L. M	alawi	L. Tanga	myika	L. Victoria		
Cyanophyta	171	34	40	21	111	28	69	19	
Chlorophyta	532	102	161	45	224	78	295	54	
Euglenophyta	66	9	10	6	59	8	2	1	
Dinophyta	26	6	6	4	19	5	10	4	
Xanthophyta	12	5	2	1	4	2	6	3	
Chrysophyta	24	17		-	21	15	3	3	
Cryptophyta	14	5	-	-	14	5	-	-	
Prymnesiophyta	1	1	-	-	1	1	-	-	
Bacillariophyta	626	49	289	37	474	43	215	33	
total	1472	228	508	114	927	185	601	117	

In the check-list, the classification of the algae, given by ROUND (1981), is followed at the level of the phyla. For the diatoms the classification of subclasses and orders is after BOURRELLY (1968). Nomenclature follows in most cases Krammer & Lange-Bertalot (1986, 1988, 1991 a,b). VANLANDINGHAM (1967-1979) and PATRICK & REIMER (1966, 1975) were also consulted. For the genera Fragilaria and Synedra, where many taxonomical problems remain unsolved, we followed HUSTEDT (1931-1959). For the Cyanophyta, GEITLER (1932) and several smaller publications (e.g. KOMAREK & KLING 1991) were followed: KOMAREK & FOTT (1983) were followed for the Chlorococcales, PRESCOTT et al. (1975, 1977, 1981), RUZICKA (1977, 1981) and CROASDALE et al. (1983) for the Desmidiales; HUBER-PESTALOZZI (1955)and STARMACH (1983)for the Euglenophyta; STARMACH (1985) for the Chrysophyta; ETTL (1985) for the Xanthophyta and Fott (1968) for the Cryptophyta. In many cases other publications were consulted to resolve certain taxonomic and nomenclatural problems.

A list of synonyms used in earlier publications is given after the check-list (p. 35), together with nomenclatural and taxonomic comments on some taxa.

Check-list

The following abbreviations are used:

N: Lake Nyasa/Lake Malawi

T : Lake Tanganyika V : Lake Victoria

*: taxon cited from lake(s) under synonym(s); cf. list of synonyms p. 35

** : cf. nomenclatural or taxonomic comment in list of synonyms

[]: used to indicate combinations not available

e.g. Aulacoseira italica (Ehr.) Sim. [var. plicatella O. Müll.] is Melosira italica var. plicatella O. Müll.; the combination for the variety under Aulacoseira has not been published (see taxonomic comments)

The following abbreviations of authors names are used:

Ag.: C. Agardh
Ahlstr.: Ahlstrom
Dang.: Dangeard
Defl.: Deflandre
Defl.: Deflandre
Delp.: Delponte
Bachm.: Bachmann
De Not.: De Notaris
De Saed.: De Saedeleer
Belch.: Belcher
De Wild.: De Wildeman

Bern.: Bernard Dillw.: Dillwyn
Berk.: Berkeley Drezep.: Drezepolski
Biss.: Bisset Dujard.: Dujardin
Bodr.: Bodrog Ehr.: Ehrenberg
Bohl.: Bohlin Elenk.: Elenkin

Bohl.: Bohlin

Börg.: Börgesen

Born.: Bornet

Bourr.: Bourrelly

Elenk.: Elenkin

Elfv.: Elfving

Fl.: Flahault

Gardn.: Gardner

Boye-Pet.: Boye-Petersen Geor.: Georges
A. Br.: A. Braun Gom.: Gomont
Bréb.: Brébisson Grun.: Grunow
Brunnth.: Brunnthaler Greg.: Gegory

Bruz. : A. Bruzelius Gerl. : Gerloff
Bulnh. : Bulnheim Grev. : Greville
Calj. : Caljon Grönb. : Grönblad
Cart. : Carter Gutw. : Gutwinski
Chod. : Chodat Hansg. : Hansgirg
Choln. : Cholnoky Hass. : Hassal

Cl. : P. Cleve Heib. : Heiberg
Conr. : Conrad Hérib. : Héribaud
Croasd. : Croasdale Hieron. : Hieronymus

Hind.: Hindak Hollerb.: Hollerbach Hortob.: Hortobagyi

Hub.-Pest.: Huber-Pestalozzi

Hust.: Hustedt

Istv.-Schaarsch.: Istvanffi-Schaarschmidt

Itzigs.: Itzigsohn Josh.: Joshua Keissl.: Keissler Kirchn.: Kirchner Kof.: Kofoid Kom.: Komarek

Kom.-Legn.: Komarkova-Legnerova

Kors.: Korshikov Kram.: Krammer Krieg.: Krieger Kütz.: Kützing Lack.: Lackey Lagerh.: Lagerheim Lauterb.: Lauterborn

Lef.: Lefèvre

Lenorm.: Lenormand Lgst.: Lagerstedt L.-B.: Lange-Bertalot Lemm.: Lemmermann

Lill.: Lillieroth Lind.: Lindemann L.: Linnaeus Lund.: Lundell

Lütkem.: Lütkemüller Lyngb.: Lyngbye Marss.: Marsson Menegh.: Meneghini

Mert.: Mertens

Miq.: F.A.G. Miquel

Mill.: Miller Moeb.: Moebius Mont.: Montagne Morr.: Morren

O. Müll. : O. Müller O.F. Müll. : O.F. Müller

Näg.: Nägeli Naum.: Naumann Nordst.: Nordstedt Nyg.: Nygaard Ostenf.: Ostenfeld Pasch.: Pascher Pank.: Pankow Pant.: Pantocsek Pen.: Penard Perag.: Peragallo Phil.: Philipose Playf.: Playfair Pochm.: Pochmann

Pouz.: Pouzar

Pringsh.: Pringsheim
Rabh.: Rabenhorst
Racib.: Raciborski
Richt.: Richter
Roxb.: Roxburgh
Ruttn.: Ruttner
Ruzick.: Růžička
Sauvag.: Sauvageau
Scherff.: Scherffel
Schill.: Schiller
Schröd.: Schröder
Schröt.: Schröter
Sim.: Simonsen
Spreng.: Sprengel
Sull.: Sullivan

W.R. Tayl.: W.R. Taylor

Teil.: Teiling

Swir.: Swirenko

Thom.: Thomasson Thunm.: Thunmark

Thur.: Thuret
Tiff.: Tiffany
Tranc.: Trancanna
Turn.: Turner
Turp.: Turpin
Uterm.: Utermöhl
Vauch.: Vaucher
V.H.: Van Heurck

Vir.: Virieux Visch.: Vischer

West & West: W. West & G.S. West

Willd.: Willdenow Wittr.: Wittrock

Wolosz.: Woloszynska R.D.W.: R.D. Wood Zach.: Zacharias

	NTV	Calothrix Ag. ex Born. & Fl.	
CYANOPHYTA		C. braunii Bom. & Fl.	$\mathbf{X} \cdot \mathbf{X} \cdot \mathbf{X}$
		C. brevissima G.S. West	- X X
Anabaena Bory ex Born. & Fl.		C. epiphytica West & West	х х -
A. circinalis Rabh. ex Born. & Fl.	- X X	C. fuellebornii Schmidle	Χ
A. discoidea (Schmidle) Ostenf.	X	C. parietina Thur. ex Born. & Fl.	X
A. flos-aquae Bréb. ex Born. & Fl.			
var. flos-aquae	x x x	Chamaesiphon Braun	
f. aptekariana Elenk.	- X -	C. incrustans Grun.	$\mathbf{X} \cdot \mathbf{X} \cdot \mathbf{X}$
f. spiroides Voronik.	X		
A. fuellebornii Schmidle	- x -	Chroococcus Näg.	
A. hyalina Schmidle	X	C. confervicola A.Br.	- x x
A. inaequalis Born. & Fl.	X	C. helveticus Näg.	- X -
A. sphaerica Born. & Fl.	X	C. limneticus Lemm.*	- x x
A. spiroides Klebahn	X	C. minimus (Keissl.) Lemm.	x
var. minima Nyg.	X	C. minor (Kütz.) Näg.	A
A. variabilis Kütz. ex Born. & Fl.	- X -	f. dispersus Keissl.*	- x x
A. westii Vir.	- X	C. minutus (Kütz.) Näg.*	- X -
Anabaena sp.	- X -	C. pallidus Näg.	X
Aliabacha sp.	- X -	C. parallelipipedon Schmidle	x - x
Anahaanansis Mill		C. turgidus (Kütz.) Näg.*	x x x
Anabaenopsis Mill.		Chrococcus sp.	X
A. circularis (G.S. West) Mill.*	- X X	emocrocus sp.	A
A. cunningtonii W.R. Tayl.	- X -	Coelosphaerium Näg.	
A. tanganikae (G.S. West) Mill.	- X X	C. kuetzingianum Näg.	X
Anabaenopsis sp.	- X -	C. minutissimum Lemm.	X
Anhanagansa Näg		C. minutissimum Eximi.	A
Aphanocapsa Näg. A. delicatissima West & West	2/ 2/	Cylindrospermopsis Seenayya	
A. elachista West & West A. elachista West & West	- X X	et Subba	
	4.		
var. conferta West & West var. elachista	- X -	C. africana Kom. & Kling	X
	- X X	C. cuspis Kom. & King	X
f. planctonica G.M. Smith A. hyalina (Lyngb.) Hansg.	- X -	Culindraspanium Väta au	
A. nubilum Kom. & Kling	X	Cylindrospermum Kütz. ex	
A. pulchra (Kütz.) Rabh.	X - X -	Born. & Fl.	
Aphanocapsa sp.		C. goetzei Schmidle	- X -
прианосарва вр.	- X -	C. nyassae Dickie	Х
Aphanothece Näg.		Closethrichia Ag av	
A. clathrata West & West		Gloeothrichia Ag. ex	
var. brevis Bachm.	- X -	Born. & Fl.	
var. clathrata	- X X	G. echinulata (J.E. Smith) Richt.	- X -
A. elabens (Bréb.) Elenk.*	x x x	G. longiarticulata G.S. West	Х
A. microscopica Näg.	x x -	G. natans Rabh. ex Born. & Fl.	- X -
A. nidulans Richt.	- X	Complete	
A. pulverulenta Bachm.	X	Gomphosphaeria Kütz.	
A. stagnina (Spreng.) A. Br.	X	G. aponina Kütz.	- X X
Aphanothece sp.	- X -	var. multiplex Nyg.	X
		G. lacustris Chod.	$X \rightarrow X$

G. pusilla (Van Goor) Kom. & Ettl	-	X	-	M. flos-aquae (Wittr.) Kirchn.*			X
Hamasathriy (Thur) Virohn				M. marginata (Menegh.) Kütz. M. ochracea (Brand.) Lemm.			X
Homocothrix (Thur.) Kirchn.				M. prasina (Wittr.) Lemm.			
H. cartilaginea (G.S. West) Lemm.*		X		M. pulverea (Wood ex Hansg.)	Α	-	-
H. juliana (Born. & Fl.) Kirchn.*	Х	-	_	Forti			
Lyngbya Ag. ex Gom.				var. incerta (Lemm.) Crow*	-	X	X
L. aerugineo-coerulea Gom.	**	X	-	f. pulchra (Lemm.) Elenk.*	-	X	-
L. aestuarii Liebm. ex Gom.	-	_	X	var. pulverea	-	X	-
L. bipunctata Lemm.	Х	X	_	M. robusta (Clark) Nyg.	-	-	X
L. circumcreta G.S. West	_	~	X	M. scripta (Richt.) Migula	-	-	X
L. diguetti Gom.	_	X	_	M. viridis (A. Br.) Lemm.	X	-	X
L. epiphytica Hieron.			X	M. wesenbergii Kom.	_	-	X
L. kuetzingii Schmidle							
var. distincta (Nordst.) Lemm.	_	_	х	Nodularia Mert. ex Born. & Fl.			
var. kuetzingii		_		N. harveyana Thur. ex Born. & Fl.*			
L. lagerheimii Gom.		_		var. harveyana	_	x	-
L. limnetica Lemm.		х	-	var. sphaerocarpa (Born. & Fl.)			
L. martensiana Menegh. ex Gom.		X		Elenk.	_	Y	-
L. nyassae Schmidle		-		N. tenuis G.S. West			_
L. perelegans Lemm.				iv. tellula G.S. West		Λ	_
		X		Nostoc Vauch, ex Born, & Fl.			
L. purpurea Gom.		X					
L. putealis Mont. ex Gom.		X		N. cameum Ag. ex Born. & Fl.			-
L. versicolor Gom.	Х	X	X	N. paludosum Kütz. ex Born. & Fl.			-
Mariana Parka				N. piscinale Kütz. ex Born. & Fl.	-	X	-
Merismopedia Meyen				NT 4 8 9 117 1			
M. aeruginea Bréb.	-	Х	-	Nostochopsis Wood			
M. elegans A. Br. ex Kütz.				ex Born. & Fl.			
var. elegans	X	X	X	N. goetzei Schmidle	X	-	-
var. remota G.S. West	-	X	-				
M. glauca (Ehr.) Näg.	X	X	X	Oscillatoria Vauch. ex Gom.			
M. minima G. Beck	-	X	-	O. agardhii Gom.	-	X	-
M. punctata Meyen	X	X	X	O. amphibia Ag. ex Gom.	-	-	X
M. tenuissima Lemm.	***	Х	X	O. cortiana Menegh. ex Gom.	-	X	-
				O. curviceps Ag. ex Gom.	-	X	-
Microchaete Thur. ex				O. formosa Borge ex Gom.	-	X	-
Born. & Fl.				O. geminata Menegh. ex Gom.	Х	Х	-
M. investiens Fremy	-	X	-	O. granulata Gardn.	-	X	-
				O. limnetica Lemm.	-	X	~
Microcoleus Desmazières				O. limosa Gom.	-	Х	-
ex Gom.				O. obtusa Gardn.	_	х	-
M. vaginatus (Vauch.) Gom.				O. princeps Vauch. ex Gom.		х	
var. monticola (Kütz.) Gom.	Х	_	_	O. proteus Skuja		X	
var. monucola (Rutz.) Com.	А			O. pseudogeminata G. Schmid		Х	
Microcystis Kütz.				O. quadripunctulata Bruhl & Biswas			
•	97	w.	v	var. unigranulata Singh	_	X	_
M. deruginosa (Kütz.) Kütz.*	X			O. sancta Gom.		_	
M. densa West & West		X		O. schultzii Lemm.		X	
M. firma (Kütz.) Schmidle	X	-	-				

O. splendida Grev. ex Gom.		Schizothrix Kütz, ex Gom. S. Jacustris A. Br. ex Gom.	- X		
var. attenuata West	х -	S. Jacustris A. Bl. ex Gom.			
O. subbrevis Schmidle	- X	C toward Ag or Dom & El			
O. tanganyikae G.S. West	- X -	Scytonema Ag. ex Born. & Fl.			
O. tenuis Ag. ex Gom.	· X X	S. cincinnatum Thur. ex Born.			
var. natans (Kütz.) Gom.	Х -	& Fl.*		χ -	
O. terebriformis Ag. ex Gom.	- X =	S. figuratum Ag. ex Born. & Fl.*)	χ -	
O. willei Gardn.	- X -				
		Spirulina Turp. ex Gom.			
Phormidium Kütz. ex Gom.		S. jenneri Kütz. ex Gom.		Х -	
P. ambiguum Gom.	- X -	S. laxissima G.S. West		X X	
P. angustissimum West & West	- X X	S. major Kütz. ex Gom.		Х -	
P. autumnale Gom.	- X X	S. princeps West & West	X		-
P. corium Kütz. ex Gom.	- X -	S. subsalsa Oersted ex Gom. *			
P. foveolarum Gom.	χ -	var. crassior (Vir.) Geitler	-	Х -	-
P. inundatum Kütz. ex Gom.	X	var. subsalsa	X		-
P. lucidum Kütz. ex Gom.	X	S. subtilissima Kütz. ex Gom.	-	х -	_
P. mucicola Naum. & HubPest.	X				
P. papyraceum Gom.	- X -	Synechococcus Näg.			
P. tenue Gom.	- X -	S. leopoliensis (Racib.) Kom.*	_	X	_
Planktolyngbya Anagnostidis		Synechocystis Sauvag.			
& Kom.		S. aquatilis Sauvag.	-	X	-
P. tallingii Kom. & Kling	X				
P. undulata Kom. & Kling	X	Tolypothrix Kütz. ex Born. &	Fl.		
		T. tenuis Kütz. emend. Schmidt		X	-
Plectonema Thur. ex Frank					
P. mirabile Thur. ex Frank*	- X -				
P. wollei Farlow ex Gom.	- X -	CRYPTOPHYTA			
Pseudanabaena Lauterb.		Chroomonas Hansg.			
P. catenata Lauterb.	- X -	C. angusta Calj.	_	X	-
P. limnetica (Lemm.) Kom.	- X -	C. nordstedtii Hansg.	-	X	-
P. moniliformis Kom. & Kling	- · X				
Pseudoanabaena sp.1*	X	Cryptomonas Ehr.			
Pseudoanabaena sp.2*	X	C. erosa Ehr.			
		var. erosa	-	X	-
Rhabdoderma Schmidle et		var. reflexa Marss.	-	X	-
Lauterb.		C. cf. obovata Skuja	_	Х	_
R. sigmoidea More & Cart.	X	C. ovata Ehr.			
R. tenuissimum Kom. & Kling	~ - X	var. ovata		X	-
· · · · · · · · · · · · · · · · · · ·		var. curvata Lemm.	Į.	X	
Rivularia Ag. ex Born. & Fl.		THE COLUMN EXCENSE.			
R. aquatica De Wild.	- X -	Cryptaulax Skuja			
R. dura Roth	χ -	C. conoidea Skuja	-	X	-
R. globiceps G.S. West	- X -	Cryptaulax sp.	-	X	-
€		3 k			

Kathablepharis Skuja		Scourfieldia West	
K. ovalis Skuja	- X -	S. chlorolateralis Calj.	- X -
•		S. cordiformis Takeda	- X -
Rhodomonas Karsten			
R. lacustris Pasch. & Ruttn.	- X -	Spermatozopsis Kors.	
R. lens Pasch. & Ruttn.	- X -	S. exultans Kors.	- X -
R. minuta Skuja			
var. minuta	- X -	Volvox L.	
var. nannoplanktonica Skuja	- X -	V. aureus Ehr.	Х
		V. globator L.	X
CHLOROPHYTA			
		TETRASPORALES	
VOLVOCALES			
		Gloeochaete Lagerh.	
Carteria Diesing		G. wittrockiana Lagerh.	x - x
C. multifilis Dill	X	S. Witteelingha Eugerin	Α Λ
	1	Gloeocystis Näg.	
Chlamydomonas Agassiz		G. gigas (Kütz.) Lagerh.	X
C. globosa Snow	- X -	G. ikapoae Schmidle	X
C. metapyrenigera Skuja	- X -	r	
C. orbicularis Pringsh.	- x -	Sphinctosiphon G.S. West	
C. pertusa Chod.	- x -	S. polymorphus G.S. West	X
Chlamydomonas sp.	- X -	- · · · · · · · · · · · · · · · · · · ·	•
Chloromonas Gobi		CHLOROCOCCALES	
C. tapeta (Skuja) Gerl. & Ettl	- X -		
		Actinastrum Lagerh.	
Collodictyon Cart.		A. rhaphidioides (Reinsch)	
C. triciliatum Cart.	- X -	Brunnth.*	- x -
Eudorina Ehr.		Ankistrodesmus Corda	
E. elegans Ehr.	x - x	A. bibraianus (Reinsch) Kors.*	X
		A. falcatus (Corda) Ralfs*	
Gonium O.F. Müller		var. duplex (Kütz.) G.S. West	X
G. pectorale O.F. Müll.	- X -	var. falcatus	$\mathbf{x} \cdot \mathbf{x} \cdot \mathbf{x}$
		var. mirabilis West & West**	X
Nephroselmis Stein		var. radiatus (Chod.) Lemm.*	X
N. olivacea Stein	- X -	A. gracilis (Reinsch) Kors.*	- X X
		A. spiralis (Turn.) Lemm.*	X
Pandorina Bory			
P. morum (O.F. Müll.) Bory	X X X	Ankyra Fott A. judayi (Smith) Fott	ν -
Phacotus Perty		Jadayi (Simui) i Oli	- X -
P. lenticularis (Stein) Ehr.	- X -	Botryococcus Kütz.	
1. Ichticulaits (Stelli) Elli.	- X -	B. braunii Kütz.*	x x x

Characium Braun				Crucigenia Morr.			
C. cerasiforme Eichler & Racib.	Х	_	-	C. quadrata Morr.	-	X	~
C. longipes Rabh.	_	-	Х	C. tetrapedia (Kirchn.) West & West	-	X	400
C. omithocephalum A. Br.				Crucigenia sp.		X	
var. pringsheimii (A. Br.) Kom.*	_	-	X				
	X			Crucigeniella Gaillon			
•	X			C. africana (Wolosz.) Fott*	~	_	х
				C. apiculata (Lemm.) Kom.*		Х	
Chlorella Beij.				C. rectangularis (Näg.) Kom.*		-	
C. minutissima Fott & Novak.		X	_	C. Teetaigataire (1 tag.) Item	, .		
C. vulgaris Beij.		X		Desmatractum West & West			
Chlorella sp.		X		D. nyanzae (Wolosz.) G.S. West**			Х
Cmorena sp.		А	_	D. Ilyanizae (Wolosz.) G.S. West	-	-	Α
Chlorolobion Kors.				Dictyochlorella Silva			
C. braunii (Näg.) Kom.*	-	~	X	D. globosa Silva	-	Х	-
				D. reniformis (Kors.) Silva	-	X	-
Closteriopsis Lemm.							
C. acicularis (G.M. Smith) Belch.				Dictyosphaerium Näg.			
& Swale	-	X	-	D. ehrenbergianum Näg.	-	X	X
C. longissima (Lemm.) Lemm.*	Х	-	Х	D. elongatum Hind.	-	Х	-
				D. pulchellum Wood			
Coccomyxa Schmidle				var. pulchellum	X	X	X
Coccomyxa sp.	-	X	-	var. minimum Bachm.	-	-	X
				D. subsolitarum Van Goor*	-	X	X
Coelastrum Näg.				D. tetrachotomum Printz.	-	X	-
C. cambricum Arch.							
var. cambricum	Х	Х	Х	Dimorphococcus Braun			
var. intermedium (Bohl.)				D. lunatus A. Br.*	Х	Х	X
G.S. West	X	_	X				
var. rugosum Rich	-	-	X	Dispora Printz			
var. stuhlmanii (Schmidle) Ostenf.				D. cuneiformis (Schmidle) Printz*	Х	-	_
C. compositum G.S. West	-	-	X	,			
C. cruciatum Schmidle	-	Х	-	Eutetramorus Walton			
C. indicum Turn.*	-	-	X	E. fottii (Hind.) Kom.	_	Х	-
C. microporum Näg.	Х	Х	Х	E. planctonicus (Kors.) Bourr.			_
C. morus West & West	-	-	Х				
C. proboscideum Bohl. in				Franceia Lemm.			
Wittr. & Nordst.	-	-	X	F. armata (Lemm.) Kors.*	_	_	X
var. rugulosum Kom.	-	-	χ	Trumma (Bernin) Here			
C. pulchrum Schmidle				Glaucocystis Itzigs.			
var. pulchrum	-	-	Х	G. nostochinearum Itzigs.			
var. nasutum Schmidle**	-	-	X	var. nostochinearum	v	_	
C. reticulatum (Dang.) Senn	X	Х	Х	var. immanis Schmidle		_	
C. sphaericum Näg.*	Х	-	Х	vai. minians seminate	.1.	_	_
C. stuhlmanii Schmidle	-		Х	Kircherniella Schmidle			
				K. contorta (Schmidle) Bohl.			
Coenocystis Kors.				K. irregularis (G.M. Smith) Kors.	-		X -
C. subcylindrica Kors.	-	Х	-	K. mogutans (G.M. Simur) Kols.	-	.\	

K. lunaris (Kirchn.) Moeb.	Х -	X	O. lacustris Chod.	Х	Х	X
K. lunata Schmidle**	Χ -	-	O. naegeli A. Br.	X	~	-
K. obesa (W. West) Schmidle	$\mathbf{X} \cdot \mathbf{X}$	X	O. novae-semliae Wille	X	-	-
var. aperta (Teil.) Brunth		X	O. parva West & West	X	Х	_
			O. pusilla Hansg.	-	X	X
Komarekia Fott			O. solitaria Wittr.	X	-	Х
[K. africana (Wolosz.)]**		X				
K. appendiculata (Chod.) Fott	- X	-	Pachycladella Silva			
			Pachycladella sp.	-	Х	-
Lagerheimia (De Toni) Chod.						
L. cingula G.M. Smith*	- X	_	Palmophyllum Kütz.			
L. citriformis (Snow) Collins		X	P. foliaceum G.S. West	_	Х	_
L. genevensis (Chod.) Chod.*	хх	_				
L. longiseta (Lemm.) Wille*	- X	X	Pediastrum Meyen			
L. quadriseta (Lemm.) G.M. Smith	- X	-	P. angulosum Ehr. ex Menegh.*	_	_	х
L. subsalsa Lemm.**			P. argentiniense Bourr. & Tell*	_		X
[var. citriformis (Wolosz.)]**		X	P. boryanum (Turp.) Menegh.*			
var. subsalsa	- X	X	var. boryanum	х	Х	X
			var. brevicome A. Br.*			X
Lobocystis Thompson			var. longicorne Reinsch*			X
L. dichotoma Thompson			P. coelastroides Wolosz.			Х
var. mucosa Bourr.	- X	-	P. duplex Meyen			
L. planctonica (Tiff. & Ahlstr.) Fott	- X	-	var. asperum (A. Br.) Hansg.	-	_	Х
			var. cohaerens Bohl.*	-	_	X
Micractinium Fresenius			var. duplex*	X	X	X
M. quadrisetum (Lemm.)			P. integrum Näg.	-	X	-
G.M. Smith*	- X	-	P. simplex Meyen*			
			var. simplex*	X	Х	Χ
Monoraphidium KomLegn.			var. annulatum Chod.**	-	-	X
M. circinale (Nyg.) Nyg.	- X	-	var. clathratum (Schröt.) Chod.*	X	-	Х
M. contortum (Thur.) KomLegn.*	- X 2	X	var. duodenarium (Bail.) Rabh.**	-	-	X
M. convolutum (Corda) KomLegn.	- X	-	[var. mirabile (Wolosz.)]**	-	-	X
M. griffithii (Berk.) KomLegn.*	x x ·	-	var. radians Lemm.**	-	-	X
M. komarkovae Nyg.*	- X	-	f. contortum Wolosz.**			Х
M. minutum (Nyg.) KomLegn.	- X	-	var. sturmii (Reinsch) Wolle*			X
M. mirabile (West & West) Pank.	- X	-	P. sorastroides Wolosz.	-	-	X
M. pusillum (Printz) KomLegn.	- X ·	-	P. tetras (Ehr.) Ralfs			
Monoraphidium sp.	- X	-	var. tetras		X	
			var. longicome Racib.		-	
Nephrocytium Näg.			var. perforatum Wolosz.**		-	
N. agardhianum Näg.	х х ·	-	P. westii Wolosz.**	-	-	X
N. limneticum (Smith) Smith	- X -		Diambtognhoomic C.M. Contrib			
N. lunatum W. West	- X -		Planktosphaeria G.M. Smith			
N. rehmanii (Wolosz.) Fott*	- X X	X	P. gelatinosa G.M. Smith	-	Х	~
Oocystis Näg. ex Braun			Quadricoccus Fott			
O. borgei Snow	X	x	Q. ellipticus Hortob.	_	X	_
O. elliptica W. West	- X -		- -			
1						

		Constitution to Cross Nach	
Quadrigula Printz		S. quadricauda (Turp.) Bréb.	
Q. lacustris (Chod.) G.M. Smith*	X	sensu Chod.**	X X X
		S. quadrispina Chod.	- X -
Rayssiella Edelstein et Prescott		S. raciborskii Wolosz.	X
R. curvata (Bohl.) Kom.*	X = X = X	S. semipulcher Hortob.	- X -
		S. woloszynskae Chod.*	X
Scenedesmus Meyen			
S. aculeolatus Reinsch*	х х -	Schmidleia Wolosz.	
S. acuminatus (Lagerh.) Chod.*	X	S. elegans Wolosz.	
S. acutiformis Schröd.		var. elegans	X
var. acutiformis	χ	var. simplex Wolosz.	X
S. acuminatus (Lagerh.) Chod.*	X		
S. acutus Meyen	- X -	Schroederia Lemm.	
S. alternans Reinsch*	x - x	S. nitzschioides (West) Kors.*	- X -
S. arcuatus (Lemm.) Lemm.		S. setigera (Schröd.) Lemm.*	- x x
var. arcuatus	- X X		
var. platydiscus Smith*	- X -	Schroederiella Wolosz.	
S. armatus (Chod.) Chod.	X	S. africana Wolosz.	X
S. brasiliensis Bohl.*	X X -		
S. caudato-aculeolatus Chod.	- X -	Siderocelis (Naum.) Fott	
S. denticulatus Lagerh.	- x x	S. kolkwitzii (Naum.) Fott	- X -
S. dimorphus (Turp.) Kütz.	- X -	o. Romanian (1 main) 1 on	
S. disciformis (Chod.) Fott. &		Sorastrum Kütz.	
Kom.*	Х	S. americanum (Bohl.) Schmidle	X
S. dispar Bréb.	- X -	S. hathoris (Cohn) Schmidle*	x - x
S. ecomis (Ehr. ex Ralfs) Chod.	- X -	S. spinulosum Näg.	Λ - Λ
S. ellipticus Corda	- X -	var. spinulosum	- X -
S. gutwinskii Chod.		var. spindiosum	A
var. heterospina Bodr.	- X -	Sphaerocystis Chod.	
S. heteracanthus Gonz. Guerr.		S. schroeteri Chod.**	v v
S. hystrix Lagerh.	X	S. schroeten Chod.	- X X
S. incrassatulus Bohl.	X	Tetradesmus G.M. Smith	
S. intermedius Chod.			
var. intermedius	- X -	T. wisconsinensis G.M. Smith	
var. acaudatus Hortob.	- X -	f. ostenfeldii (Wolosz.)	
var. balatonicus Hortob.	- X -	Fott & Kom.*	X
S. longispina Chod.	X	Totagodana Viita **	
S. magnus Meyen*		Tetraedron Kütz.**	
var. magnus	- x x	T. arthrodesmiforme (G.S. West)	
[var. arcuatus (Vir.)]**	X	Wolosz.	
S. obliquus (Turp.) Kütz.*	X = X = X	var. arthrodesmiforme	X
S. obtusus Meyen*	- x x	var. contortum Wolosz.	X
S. opoliensis Richt.*		var. elongatum Wolosz.	X
var. mononensis Chod.	$\mathbf{x} \cdot \mathbf{x} \cdot \mathbf{x}$	var. irregulare Wolosz.	X
var. opoliensis	- x -	var. lobulatum Wolosz.	X
S. perforatus Lemm.*	X	f. pentagonum Schröd.	X
S. protuberans Fritsch & Rich	X	f. trigonum Schröd.	X
•		T. armatum (Reinsch) De Toni	- X -
		T. bifurcatum (Wille) Lagerh.	- X X

T. caudatum (Corda) Hansg.	- X	-	Klebsormidium Silva		
T. incus (Teil.) G.M. Smith*	- X	_	K. subtile (Kütz.) Tranc. ex Tell*	_	- X
T. inflatum Wolosz.		X			
T. minimum (A. Br.) Hansg.			Koliella Hind.		
var. minimum*	$\mathbf{x} \cdot \mathbf{x}$	X	K. setiformis (Nyg.) Nyg.*	-	- X
f. apiculatum Reinsch	- X	-	K. spiculiformis (Visch.) Hind.	_	Х -
T. paradoxum Wolosz.		X			
T. pentaedricum West & West		X	Planctonema Schmidle		
T. regulare Kütz.*	X -	X	P. lauterbornii Schmidle	-	Х -
T. rhaphidioides (Reinsch) Hansg.	- X	-			
T. tetragonum (Näg.) Hansg.		X	Stichococcus Näg.		
T. trigonum (Näg.) Hansg.			S. cf. minutissimus Skuja	-	Х -
sensu Skuja			Stichococcus sp.		х -
var. trigonum*		X	·		
f. crassum Reinsch		X	Ulothrix Kütz.		
var. gracile (Reinsch) De Toni	- X		U. tenerrima (Kütz.) Kütz.	-	х -
var. papilliferum (Schröd.) Lemm.		Х			
var. punctatum Kirchn.			Uronema Lagerh.		
var. tetragonum Wolosz.			U. confervicola Lagerh.	_	хх
T. victoriae Wolosz.					
Tetraedron sp.	X X	X			
			CHAETOPHORALES		
Tetrastrum Chod.					
T. glabrum (Roll) Ahlstr. & Tiff.	- X		Chaetophora Schrank		
T. heteracanthum (Nordst.) Chod.*		Х	C. elegans (Roth) Ag.	_	х -
T. staurogeniaeforme (Schröd.)	•		C. ologuis (real) 11g.		
Lenm.*	- X	-			
Tranhania Dam			CLADOPHORALES		
Treubaria Bern.					
T. setigera (Arch.) G.M. Smith T. triappendiculata Bern.	- X - X		Cladophora Kütz.		
1. triappendiculata bern.	- A	_	C. brachystelecha Rabh.	_	х -
Trochiscia Kütz.			C. canalicularis (Roth) Kütz.		Х -
T. aciculifera (Lagerh.) Hansg.	х -		C. crispata (Roth) Kütz.		хх
1. acicumera (Lagem.) Hansg.	Λ -	_	C. fracta (Kütz.) Brand		х -
Westella De Wild.			C. inconspicua G.S. West	-	x -
W. botryoides (W. West) De Wild.*	. Y	_	A		
w. bollyoldes (w. West) De Wild.	- A	_			
Willea Schmidle					
	- X		OEDOGONIALES		
W. irregularis (Wille) Schmidle* W. vilhelmii (Fott) Kom.	- X				
w. vimenini (Pott) Rom.	- A	-	Bulbochaete Ag. ex Him		
			B. elatior Pringsh. ex Hirn	X	Х -
ULOTRICHALES			Oedogonium Link ex Hirn		
ULUTRICHALES			O. cryptoporum Wittr. ex Him	X	
T31 1 4 41 • 317'11 .			O. dictyosporum Wittr. ex Him		х -
Elakotothrix Wille			O. himii Gutw. ex Him		Х -
E. gelatinosa Wille*		Х			

O. kitutae G.S. West	-	X	-	C. moniliferum (Bory) Ehr. ex Ralfs				
O. kurzii Zeller & Him	X	_	-	var. moniliferum*	X	-	X	,
O. patulum Tiff.*	-	х	-	f. brevius Schröd.	-	-	Х	
Oedogonium sp.	-	X	-	C. navicula (Bréb.) Lütkem.*	-	_	Х	,
				C. nematodes Josh.				
				var. tumidum G.S. West	-	-	Х	Ĺ
DESMIDIALES				C. parvulum Näg.	X	~	-	
				C. praelongum Bréb.				
Actinotaenium (Näg.) Teil.				var. crassius Schmidle**	X	-	-	,
A. australe (Racib.) Croasd.*	_	~	Y	C. ralfsii Bréb. ex Ralfs				
A. diplosporum (Lund.) Teil.				var. hybridum Rabh.	-	-	2	Ĺ
f. maius (W. West) Teil.	_	_	x	var. ralfsii	-	-	>	(
A. globosum (Bulnh.) Förster*			Α.	C. strigosum Bréb.	-	Х	-	
var. globosum	_	Χ	Y	C. striolatum Ehr. ex Ralfs	Х	-		
var. minus (Boldt)		_		C. tumidum Johnson	-	-	2	ζ
A. lagenarioides (Roy) Teil.		X		C. venus Kütz. ex Ralfs	Χ	X	. >	(
A. sidneyense (Racib.) Teil.		X						
A. wollei (West & West)				Cosmarium Corda ex Ralfs				
Teil. ex Ruzick. & Pouz.*	_	Х	Y	C. abruptum Lund.				
Toll. Of Ruller. & Toul.		/*	/ .	var. granulatum West & West	-	-)	Ķ
Closterium Nitzsch ex Ralfs				C. angulosum Bréb.				
C. abruptum W. West				var. angulosum	X	X	,	Ķ
f. angustissimum Schmidle	Y		Х	var. concinnum (Rabh.) West &				
C. acerosum (Schrank) Ehr. ex Ralfs				West	~	X		×
C. aciculare T. West	, A.	7	/ .	C. binum Nordst.	Х	Х		¥
var. aciculare	X	_	X	C. bioculatum Bréb. ex Ralfs	X	-		×
var. subpronum West & West			X	C. blyttii Wille	X	X		×
C. acutum (Lyng.) Bréb. ex Ralfs				C. capense (Nordst.) De Toni	Χ	-		-
var. acutum	Х	Х	_	C. connatum (Bréb.) Ralfs	Χ	-		×
var. tenuius Nordst.		Х		C. contractum Kirchn.*				
C. dianae Ehr. ex Ralfs		_		var. contractum	-	-		×
C. gracile Bréb.				var. ellipsoideum (Elfv.)				
var. gracile	-	Х	X	West & West	-	-		×
var. tenue (Lemm.) West & West	-	_	X	C. creperum West & West	-	-		þ
C. jenneri Ralfs*	Х	-	Х	C. cunningtonii G. S. West	-	-	- ;	>
C. kuetzingii Bréb.				C. decachondrum Roy & Biss.				
var. kuetzingii	X	-	X	var. ornatum G.S. West	-	-	-)
var. capense Nordst.	X	-	-	C. depressum (Näg.) Lund.				
var. laeve (Racib.) Krieg.*	-	-	X	var. depressum	-	Х)
C. lagoense Nordst.	-	Х	-	var. achondrum (Boldt)				
C. lanceolatum Kütz, ex Ralfs				West & West			-	
var. lanceolatum	-	-	X	C. elaboratum West & West			-	
var. parvum West & West	-	-	X	C. forligenum Nordst.			-	
C. leibleinii Kütz. ex Ralfs	X	Х	. Х	C. fullebornei Schmidle	X		-	•
C. limneticum Lemm.			-					
C. lineatum Ralfs	X	-	-					

C. galeritum Nordst.		C. scabratulum West & West		**	
var. galeritum	x - x		-	X	X
var. muelleri (Schmidle)	λ - λ				
Krieg. & Gerl.*	X	var. sexangulare			-
var. retusum G.S. West	X - X	var. minus Roy & Biss.			-
C. glyptodermum West & West		C. subauriculatum West & West			X
C. granatum Bréb. ex Ralfs	- X -	C. subconstrictum Schmidle	-	-	Χ
C. hammeri Reinsch	X - X	C. subcostatum Nordst.			
		f. minus West & West			-
var. hammeri	X	C. subcucumis Schmidle	-	-	Х
var. schmidlei Grönb. & Scott*	X	C. subdanicum West	-	-	Х
C. impressulum Elfv.*	X - X	C. subprotumidum Nordst.	X	Х	-
C. lacunatum G.S. West	X	C. subpyramidatum (West & West)			
C. laeve Rabh.		Lütkem.*		X	. X
var. laeve	X - X	C. subspeciosum Nordst.	-	X	-
var. minimum West & West	X	C. symœnsii Van Oye**	-	X	-
C. lindaui Schmidle	X	C. trilobulatum Reinsch			
C. lundellii Delp.		var. trilobulatum	X	-	-
var. lundellii	X	var. abscissum (Schmidle)			
var. madagascariensis West &		Krieg. & Gerl.*	-	-	X
West	Χ	C. welheimii Schmidle	X	-	-
C. margaritatum (Lund.)		C. zonarium West & West	-	X	-
Roy & Biss.	Х Х -				
C. margaritiferum (Turp.) Ralfs	X	Cylindrocystis Menegh. ex			
C. meneghinii Bréb. ex Ralfs*	X - X	De Bary			
C. minimum West & West	- X -	C. brebissonii (Menegh. ex Ralfs)			
C. minutissimum Arch.	X	De Bary			
C. minutum Delp.*	X	var. brebissonii	_	Х	-
C. moniliforme (Turp.) Ralfs*	X	var. curvata Rabanus			
C. multiordinatum West & West	X	f. quadripyrenoidea Van Oye	_	Х	~
C. nitidulum De Not.	- X -	C. crassa De Bary			_
C. notabile De Bary	X	,			
C. nymannianum Grun.		Euastrum Ehr. ex Ralfs			
var. abyssinicum (Lagerh.)		E. ansatum Ralfs	_	_	х
Krieg. & Gerl.*	х х -	E. binale Ralfs			^
C. obsoletum (Hantzsch) Reinsch	\mathbf{x} \mathbf{x} \mathbf{x}	var. hians W. West	Y	_	
C. occultum Schmidle	X	E. denticulatum (Kirchn.) Gay		X	
C. phaseolus Bréb.	Х	E. elegans Ralfs		~	
C. planum West & West	X	E. elobatum (Lund.) Roy & Biss.*		_	
C. praemorsum Bréb.	X	E. engleri Schmidle	А	_	~
C. pseudamoenum Wille	- X -	var. engleri		-	v
C. pseudobroomei Wolle		var. victoriae Wolosz.		_	
var. pseudobroomei	х х -	var. woloszynskae Krieg.		_	
var. compressum G.S. West	- X -	E. glaziovii Börg.	_	_	Λ
var. madagascariensis West &		var. glaziovii			v
West	Х	var. evolutum (Nordst.) Compère*		-	
C. pseudopyramidatum Lund.	X	f. simplex Compère			
C. quadrum Lund.	X - X	E. hypochondroides West & West	-	-	A
C. regnesi Reinsch	- X -	var. hypochondroides			v
C. retusiforme (Wille) Gutw.	x - x	var. hypocholidroides	-	-	Λ

-	Х	_	Penium Bréb. ex Ralfs			
Х	_	-	P. didym∝arpum Lund.*	х	-	-
-	X	-				
-	-	Х	Pleurotaenium Näg.			
				х	X	_
				_	Х	-
χ	X	-				
X	-	X		Х	_	х
χ	_	Х		_	Х	_
X	_	λ				
Х	~	-	var. africanum (G.S. West)	Х	-	_
				_	X	Х
	~	χ				
_	Х	Х				
				_	_	х
			var. africanum (Schmidle) Krieg.*	X	-	-
Х	-	_	var. detum West & West		-	Х
			P. trabecula (Ehr.) Näg.	_	Х	Х
-	х	_				
			Rova West & West			
				-	Х	_
_	Х	_				
			Spondylosium Bréb. ex Kütz.			
-	X	_		Х	-	-
			· · · · · · · · · · · · · · · · · · ·			
			Staurastrum Meven ex Ralfs			
-	Х	-	•	_	Х	_
-	Х	-				
			·			
-	X	-	var. americanum	~	~	Х
				~	-	Х
			S. anatinum Cooke & Wills			
-	Х	X	var. anatinum	-	-	Х
Χ	_	-	var. subglabrum G.S. West	-	-	Х
-	-	Х	S. brebissonii Arch.*	_	-	X
X	-	-	S. coarctatum Bréb.			
			var. subcurtum Nordst.	-	-	X
			S. cunningtonii G.S. West		Х	_
Χ	-	-	S. denticulatum (Näg.) Arch.	-	-	X
			S. disputatum West & West			
X	-	-	var. disputatum	-	-	Х
λ	. X	-	S. echinatum Bréb.	-	-	×
			S. engleri Schmidle	-	-	7
			S. erostellum West & West	-	-	
_		X				
	X X X X X X X X X X X X X X X X X X X	X	- X - X - X - X - X - X X X X X X X	P. didymocarpum Lund.* - x - - x Pleurotaenium Näg. P. caldense Nordst.* P. coronatum (Bréb.) Rabh. x x - P. cylindricum (Turn.) Schmidle P. ehrenbergii (Bréb.) De Bary P. elatum (Turn.) Borge var. elatum P. eugeneum (Turn.) West & West var. africanum (G.S. West) Krieg.* P. maximum (Reinsch) Lund x P. subcoronulatum (Turn.) - x x West & West var. subcoronulatum var. africanum (Schmidle) Krieg.* x var. detum West & West P. trabecula (Ehr.) Näg. - x - Roya West & West R. obtusa (Bréb.) West & West - x - Spondylosium Bréb. ex Kütz x s. alternans Bréb. ex Ralfs - x x - Staurastrum Meyen ex Ralfs - x x - Staurastrum (West & West) G.M. Smith - x var. americanum var. longiradiatum G.M. Smith S. anatinum Cooke & Wills - x x x S. coarctatum Bréb. var. subcurtum Nordst. S. cunningtonii G.S. West - x S. disputatum West & West - x S. echinatum Bréb. S. engleri Schmidle S. erostellum West & West	R P. didymocarpum Lund.*	P. didymocarpum Lund.* X - X - X - X - X

S. excavatum West & West		S. sinense Lütkem.*	X
var. excavatum	X	S. subgemmulatum West & West	X
var. minimum Bern.	X	S. subgracillimum West & West	X
var. planctonicum Krieg.	X	S. submanfeldtii West & West	x - x
S. fuellebornii Schmidle	X	S. subprotractum Schmidle	X
S. gracile Ralfs	Λ.	S. subtrifurcatum West & West	Λ
var. gracile	X	var. subtrifurcatum	X
var. nyansae G.S. West	X	f. bidens Schmidle	
var. protractum G.S. West	X - X	S. tetracerum Kütz. ex Ralfs	X - X
var. subornatum Schmidle	X	S. tohopekaligense Wolle	- X X
S. gladiosum Turn.		var. tohopekaligense	
S. gracillimum West & West	X		X
S. leptocladum Nordst.	X	f. triangulare G.S. West	X
var. cornutum Wille	**	var. nonanum (Turn.) Schmidle	X
	X	var. quadrangulare G.S. West**	X
var. leptocladum	X - X	var. trifurcatum West & West	X
f. africanum G.S. West	X - X	S. turgescens De Not.	
S. limneticum Schmidle		var. turgescens	Х
var. limneticum	X	f. minus G.S. West	X
var. aculeatum Lemm.	X	S. ukerewense Thom.	X
var. groenbladii Croasd.	X	S. volans West & West	X
f. victoriense Croasd.	X		
S. lindae Grönb.	X	Staurodesmus Teiling	
S. longiradiatum West & West	X	S. brevispina (Bréb. ex Ralfs)	
S. margaritaceum Ehr. ex Ralfs	- X -	Croasd.*	
S. monticulosum Bréb.	X	var. brevispina	X
S. mutabile Turn.	- X -	fac.2 fuellebornii Teil.*	X - X
S. muticum Bréb. ex Ralfs	X	S. convergens (Ehr.) Teil.	
S. orbiculare Ehr. ex Ralfs		var. convergens	- X X
var. depressum Roy & Biss.	- X X	laportei Teil.*	X
S. paradoxum Meyen ex Ralfs**		S. comiculatus (Lund.) Teil.*	X
var. paradoxum	X	S. cuspidatus (Bréb. ex Relfs)	
var. parvum W. West	X	Teil.*	X
S. pilosum (Näg.) Arch.		S. dejectus (Bréb. ex Ralfs) Teil.*	X
var. minimum G.S. West	X	S. dickiei (Ralfs) Lill. *	
S. planctonicum Teil.		var. dickiei	X
var. bulbosum (West) Thom.	X	var. circularis (Turn.) Croasd.*	Χ
S. polymorphum Bréb.	X	S. glaber (Ehr.) Teil.	
S. pseudotetracerum (Nordst.)		var. limnophilus Teil.*	X
West & West	X	S. incus (Bréb. ex Ralfs) Teil. *	
S. punctulatum Bréb. ex Ralfs	X	var. incus*	X
S. quadrangulare Bréb. ex Ralfs		var. ralfsii (W. West) Teil.*	X
var. attenuatum Nordst.	- X -	S. jaculiferus (W. West) Teil. *	X
S. sebaldi Reinsch		S. sellatus Teil.	X
var. ornatum Nordst.		S. subtriangularis (Borge) Teil.*	X
f. planctonicum (Lütkem.) Teil.	X	S. subulatus (Kütz.) Thom.	
S. setigerum Cleve		var. subaequalis	
var. setigerum	X	(G.S. West)*	X - X
var. nyansae Schmidle	X	S. triangularis (Lagerh.) Teil.*	X
var. occidentale West & West	X		

Teilingia Bourr.		CHARALES	
T. excavata (Ralfs) Bourr.*	Χ		
70.10		Chara L.	
Tetmemorus Ralfs		C. setosa Klein ex Willd.*	
T. laevis (Kütz.) Ralfs	χ -	f. setosa	X X -
Xanthidium Ehr. ex Ralfs		f. tanganyikae (R.D. W.) R.D. W.*	- X -
X. antilopaeum Bréb. ex Kütz.	X	C. vulgaris L.	
X. cristatum Bréb. ex Ralfs	х	f. gymnophylla (A.Br.) R.D. W.*	- X -
		C. zeylanica Klein ex Willd.	- X -
ZYGNEMATALES		Nitella Ag.	
		N. mucronata (A. Br.) Miq.*	- X -
Debarya Wittr.		•	
D. africana G.S. West	х		
	, ,	EUGLENOPHYTA	
Mougeotia Ag.			
M. planctonica Vir.	X	Astasia Ehr.	
Mougeotia sp.	x x -	A. quartana (Morr.) Pringsh.	- X -
The state of the s	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	The quarter (1710111) Thingsin,	,,
Spirogyra Link		Colacium Ehr.	
S. aequinoctialis G.S. West	Х	C. simplex HubPest.	- X -
S. bellis (Hass.) Cleve			
var. minor G.S. West	- X -	Euglena Ehr.	
S. columbiana Czurda*	X X =	E. acus Ehr.	- X -
S. decimina (O.F. Müll.) Kütz.		E. agilis Cart.	- X -
var. decimina	Х	E. caudata HubPest.	
S. neglecta (Hass.) Kütz.		var. minor Defl.	- X -
var. temata (Ripert)		E. ehrenbergii Klebs	- X -
West & West	- X -	E. hemichromata Skuja	- X -
S. nitida (Dillw.) Link	X	E. intermedia (Klebs) Schmitz	· X -
S. pellida Dickie	Χ -	E. klebsii (Lemm.) Mainx	- X -
S. porticalis (O.F. Müll.) Cleve var. africana G.S. West		E. limnophila Lemm.	
	X	var. minor Drezep.	- X -
Spirogyra sp.	- X -	E. oblonga Schmitz	- X -
		E. oxyuris Schmarda	
		f. charkowiensis (Swir.) Bourr.*	- X -
SIPHONOCLADALES		E. proxima Dang.	- X
SHITONOCLADALES		E. spirogyra Ehr.	Χ
Chasterranko Vii		E. variabilis Klebs E. viridis Ehr.	- X -
Chaetomorpha Kütz.			X X ~
C. linum Kütz.	- X -	Euglena sp.	- X -
Stigeoclonum Kütz,		Eutreptia Perty	
S. nanum Kütz.	- X	Eutreptia sp.	Χ
	· A	3 3	-

Lepocinclis Perty				T. hispida (Perty) Stein emend. Def	1.		
L. fusiformis Lemm.	- y	(-	var. hispida	X	X	
L. ovum (Ehr.) Lemm.				var. crenulatocollis (Mask.)			
var. ovum	х	(_	Lemm.			
f. inamoullata Defl.	- 3	(_	f. recta Defl.	-	X	-
f. mammillata Defl.	- 3	(_	var. duplex Defl.	-	-	Х
L. texta (Dujard.) Lemm.				T. klebsii Defl.	-	Х	-
var. texta	- 3	(_	T. komarovii Skvortzov			
var. richiana Conr.	- >	(_	var. bicollaris Calj.	-	Х	-
				T. lefevrei Defl.	-	Х	-
Petalomonas Stein				T. lemmermannii Wolosz.	_	Х	_
Petalomonas sp.	- >	(_	T. ovalis Dad.	X	_	-
				T. pulcherrima Playf.			
Phacus Nitzsch				var. pulcherrima	-	Х	_
P. acuminatus Stokes	- >	,	_	var. latior Playf.	-	Х	-
P. agilis Skuja	- >			T. raciborskii Wolosz.	_	-	Х
P. angulatus Pochm.	- >			T. scabra Playf.			
P. brevicaudatus (Klebs) Lemm.	- >			var. scabra	-	х	-
P. curvicauda Swir.	- X			var. ovata Playf.			-
P. hamatus Pochm.	- >			T. stokesii Drezep. emend. Defl.			-
P. helicoides Pochm.	- >			T. volvocina Ehr.			_
P. longicauda (Ehr.) Dujard.	XX			T. volvocinopsis Swir.	-	Х	-
P. orbicularis Hübn.	- X						
P. pleuronectes (O.F. Müll.) Dujard.							
P. pusillus Lemm.	- X			DINOPHYTA			
P. pyrum (Ehr.) Stein	- >						
P. skujae Skvortz.	- 3			Ceratium Schrank			
P. suecicus Lemm.	- X			C. brachyceros Dad.*	_	_	Х
P. tortus (Lemm.) Swir.	- >			C. hirundinella (O. Müll.) Dujard.*			/ •
i terus (Bennus) e vin	•			f. hirundinella	x	_	Х
Strombomonas Defl.				f. brachyceroides Schröd.			X
S. acuminata (Schmarda) Defl. *				i ciacnycorolado comoa.			
var. acuminata	- X	ζ.	_	Glenodinium Ehr.			
var. amphora Playf.	- X			G. pulvisculus (Ehr.) Stein			
S. annulata (Dad.) Defl.	х -			var. pulvisculus	_	x	+
S. fluviatilis (Lemm.) Defl.	- X			var. depressum Vir.			Х
S. Havianis (Bennis) Benn	,	•		G. quadridens (Stein) Schill.			X
Trachelomonas Ehr.				Glenodinium sp.			_
T. armata (Ehr.) Stein				op.		,-	
var. steinii Lemm. emend. Defl.	- X		_	Gymnodinium Stein			
T. bacillifera Playf.	^			G. lantzchii Uterm.*		X	-
var. globulosa Playf.	- X	ζ.	_	G. lacustre Schill.*			_
T. curta Da Cunha	- X			G. uberrimum (Allm.) Kof.			
T. dubia Swir. emend Defl.	/1			& Swezy*	_	X	_
var. colliundulata Calj.	- X	ζ.	_	G. varians Mask.			_
T. gatumbana Calj.	- X			Gymnodinium spp.			_
J				A L.L.			

Peridiniopsis Lemm.		P. limneticum (Borge) Chod.*	
P. berolinense (Lemm.) Bourr.*	- X -	var. limneticum	X
P. cunningtonii Lemm.*	- X X	[var. minimum (A. Br.) Hansg.*]	X
P. penardii (Lemm.) Bourr.*	- X X		
Peridinium Ehr.		CHRYSOPHYTA	
P. africanum Lemm.			
var. africanum	X X -	Bicosoeca Clark	
tab. remotum Lef.	- X -	B. conica Lemm.	- X -
P. bipes Stein	X	B. planctonica Kiss.	
P. cinctum Ehr.	X	var. planetonica	- X -
P. inconspicuum Lemm.**	- X -	var. multiannulata (Skuja) Bourr.	- X -
P. palatinum Lauterb.*	х х -	Bicosoeca sp.	- X -
P. pusillum (Penn.) Lemm.**	- X -		
P. umbonatum Stein**	X	Cercobodo Krassilstchik	
P. volzii Lemm.**	- X -	Cercobodo sp.	- X -
P. westii Lemm.**	X		
Peridinium sp.	- X -	Chromulina Cienkowski	
		Chromulina sp.	- X -
Sphaerodinium Wolosz.		Cinomania op.	
S. cinctum Wolosz.*	- X -	Chrysostephanosphaera Scherff.	
		C. globulifera Scherff.	- X -
XANTHOPHYTA			
		Codonosigopsis Senn	
Goniochloris Geitler		C. robini Senn	X
G. laevis Pasch.	- X -	C. 100m. 50m.	
G. mutica (A. Br.) Fott	- X -	Desmarella Kent	
G. smithii (Bourr.) Fott	- X -	D. moniliformis Kent	- X -
Isthmochloron Skuja		Dinobryon Ehr.	
I. lobulatum (Näg.) Skuja*	X	D. sertularia Ehr.	X
Ophiocytium Näg.		Erkenia Skuja	
O. biapiculatum Hieron.	Х	E. subaequiciliata Skuja	- X -
O. parvulum (Perty) A. Br.		231 500 000 4000	
var. parvulum	X	Kephyrion Pasch.	
var. circinatum (Wolle) Lemm.	X	K. cupiliforme Conr.	- X -
		K. planetonicum Hill.	- X -
Polygoniochloris Ettl		K. pharetomean III.	
P. circularis (Bourr. & Geor.) Ettl	- X -	Mallomonas Perty	
`		· · · · · · · · · · · · · · · · · · ·	. v
Pseudostaurastrum (Hansg.)		M. cf. spinulosa Conr. Mallomonas sp.	X - X -
Chod.		тапошоная эр.	- ^ -
P. enorme (Ralfs) Chod.*	X	Manaciaa Vant	
P. hastatum (Reinsch) Chod.*	X	Monosiga Kent	
i . masaram (nomsen) enos.		M. robusta Stokes	λ -

Ochromonas Wyssottzki		[var. angustissima	
Ochromonas sp.	- x -	f. curvata Hust.]	X
		A. ikapoënsis (O. Müll.) Sim.*	
Paraphysomonas De Saed.		var. ikapoënsis	X - X
P. vestita (Stokes) De Saed.	- X -	var. minor (O. Müll.) Sim.*	- X -
Paraphysomonas sp.	- X -	var. procera (O. Müll.) Sim.*	- X -
		A. italica (Ehr.) Sim.*	
Salpingoeca Clark		var. italica	- x x
S. elegans (Bachm.) Lemm.	- X -	var. tenuissima (Grun.) Sim.*	Х
S. frequentissima (Zach.) Lemm.	- X -	[f. angustata O. Müll.]	Х
1	•	[var. bacilligera O. Müll.]	X
Spiniferomonas Takahashi		[var. plicatella O. Müll.]	Х
Spiniferomonas sp.	- x -	A. kondeensis (O. Müll.) Sim.*	Х
opinicionionas sp.	- A -	A. magnusii (O. Müll.) Sim.*	X
Spumella Cienkowski		A. mbasiensis (O. Müll.) Sim.*	Х
Spumella sp.*	7/	A. muzzanensis (Meister) Kram.	X
Spuniena sp.	- X -	A. nyassensis (O. Müll.) Sim.*	x - x
Stylonywic Polochonzow		[subsp. bacillosa O. Müll.]	x - x
Stylopyxis Bolochonzew		[subsp. bacillosa	
Stylopyxis sp.	- X -	f.minor O. Müll.]	x - x
		[subsp. devriesii O. Müll.]	x - x
DDVMNIECIODINA		[var. victoriae O. Müll.]	X
PRYMNESIOPHYTA		A. pfaffiana (Reinsch) Kram.*	- x x
		A. pyxis (O. Müll.) Sim.*	х х -
Chrysochromulina Lack.			
C. parva Lack.	- X -	Coscinodiscus Ehr.	
		C. limifixus Kufferath	- X -
BACILLARIOPHYTA			
		Cyclostephanos Round	
CENTROPHYCIDAE		C. damasii (Hust.) Stoermer	
CENTROPHICIDAE		& Håkansson*	Х Х -
COSCINODISCALES		C. malawiensis Casper & Klee	Х
COSCINODISCALES		Cyclotelle Viite	
Aulogogoine Thereis - 44		Cyclotella Kütz.	
Aulacoseira Thwaites**		C. distinguenda Hust.* C. krammeri Håkansson*	X X X
A. agassizii (Ostenf.) Sim.*	X	C. meduanae Germain	X X X
A. ambigua (Grun.) Sim.*	X - X		- X -
A. argus (O. Müll.) Sim.*		C. meneghiniana Kütz.* C. ocellata Pantocsek	X X X
var. argus	X	C. radiosa (Grun.) Lemm.*	X X X
[subsp. granulosa O. Müll.]	X	C. stelligera Cl. & Grun.	X
[subsp. trimorpha O. Müll.]	X	C. stenigera Ci. & Grun. Cyclotella sp.	X
A. distans (Ehr.) Sim.	- X -	Сустолена вр.	- X -
A. goetzeana (O. Müll.) Sim.*	X - X - X	Malasira A ~	
A. granulata (Ehr.) Sim.*		Melosira Ag.	
var. granulata	X X X	M. varians Ag.	X
var. angustissima (O. Müll.) Sim.*		Onthosoine Thursites	
Siiii.	X X X	Orthoseira Thwaites	
		O. roeseana (Rabh.) O'Meara*	- X -

Skeletonema Grev.		PENNATOPHYCIDAE			
S. potamos (Weber) Hasle*	- X -				
		ARAPHIDALES			
Stephanodiscus Ehr.					
S. astraea (Egr.) Grun.**		Asterionella Hass.			
var. astraea	$\mathbf{x} \cdot \mathbf{x} \cdot \mathbf{x}$	A. formosa Hassall*		_	Y
f. tanganikae Kufferath	- X -	A. Johnosa Hassan	_	_	Λ.
var. intermedius Fricke	x - x	Diotomo Dom			
S. carconensis Grun.	- X -	Diatoma Bory			
S. hantzschii Grun.	Х	D. elongata Ag.			
f. tenuis (Hust.) Häkansson	X	var. elongata		-	
S. minutulus (Kütz.) Cl. & Möller*	x x x	var. chappuisii Bachm.	-	-	Х
S. muelleri Klee & Casper	х	Y			
S. parvus (Cl. & Möller) Stoermer	**	Fragilaria Lyngb.			
& Hákansson*	x - x	F. aethiopica G.S. West		X	
Stephanodiscus sp.	x x -	F. africana Hust.	X	Х	X
otephinediseds sp.	7.	F. brevistriata Grun.			
Thalassiosira Cl.		var. brevistriata		X	
T. faurei (Gasse) Hasle	- X -	var. trigibba (Pant.) Hust.	-	Х	-
T. rudolfi (Bachm.) Hasle	- X X	F. capucina Desmazieres			
1. Iudom (Bacimi.) Hasie	- A A	var. capucina	X	-	-
		var. mesolepta Rabh.		X	
		F. constricta Ehr.*	X	-	-
RHIZOSOLENIALES		F. construens (Ehr.) Grun.			
RHIZOSOLENIALES		var. construens	X	X	X
		var. exigua (W. Smith) Schulz*	-	-	X
Rhizosolenia Brightwell		var. javanica Hust.	-	X	-
R. curviseta Hust.*	X	var. subsalina Hust.	-	Х	-
R. eriensis H.L. Smith		var. venter (Ehr.) Grun.			Х
f. eriensis	- X X	F. crotonensis Kitton	-	-	X
f. brevispina Wolosz.	X	F. heidenii Østrup	-	Х	-
var. pusilla Wolosz.	X = X = X	F. hungarica Pant.	-	-	Х
R. insignis H.L. Smith	X	F. lapponica Grun.*	X	-	Х
R. stagnalis (Zach.) Schröder	X	F. leptostauron (Grun.) Mayer			
R. victoriae Schröder	X	var leptostauron	-	X	X
Rhizosolenia sp.	X	var. dubia (Grun.) Hust.	-	X	*
		F. longissima Hust.	-	-	Х
		F. intermedia (Grun.) Grun.*	X	-	-
		F. pinnata Ehr.*			
		var. pinnata	X	X	X
BIDDULPHIALES		var. lancettula (Schumann) Hust.	-	X	X
		var. trigona (Brun. & Hérib.)			
Odontella Ag.		Hust.	-	-	Х
O. aurita (Lyngb.) Ag.*	Х	F. vaucheriae (Kütz.) Boye-Pet.	-	-	Х
		var. capitellata (Grun.) Ross*	-	X	-
		F. virescens Ralfs	Х	X	X
		Meridion Ag.			
		M. circulare (Grev.) Ag.	-	Х	-

Opephora Petit				E. incisa W. Smith ex Greg.	_	Х	_
O. martyi Hérib.	_	X	-	E. lunaris (Ehr.) Grun.**			Х
				E. microcephala Krasske*	_	Х	-
Synedra Ehr.**				E. monodon Ehr.	-	Х	-
S. acus Kütz.				E. pectinalis (O.F.Mül.) Rabh.			
var. acus	X	X	X	var. pectinalis	X	X	X
var. angustissima Grun.	X	Х	-	var. minor (Kütz.) Rabh.	-	Х	-
S. amphicephala Kütz.	X	-	-	var. minor f. impressa (Ehr.) Hust.	, -	X	-
S. berolinensis Lemm.*	-	X	X	var. rostrata Germain	-	X	-
S. cunningtonii G.S. West	-	~	X	var. undulata (Ralfs) Rabh.	X	Х	-
S. goulardii Bréb.	-	X	X	var. ventricosa Grun.	-	X	-
S. nyansae G.S. West*	X	X	X	E. tridentula Ehr.	X	-	-
S. pulchella Ralfs ex Kütz.	-	X	X	E. porcellus Chol.	-	X	-
S. radians (Kütz.) Grun.*	X	X	X	E. rabenhorstii Cl. & Grun.			
S. rumpens Kütz.				var. africana Hust.	-	Х	-
var. rumpens	-	X	X	var. monodon Grun.	-	X	-
var. fragilarioides Grun.	X	X	-				
S. revaliensis Lemm.	-	X	-				
S. tabulata (Ag.) Kütz.				MONORAPHIDALES			
var. fasciculata (Ag.) Hust.*	-	X	-				
var. parva (Kütz.) Hust*.	X	-	-	Achnanthes Bory			
S. ulna (Nitz.) Ehr.*				A. bergiana Cl.	_	X	-
var. ulna	X	X	X	A. brevipes Ag.			
var. aequalis (Kütz.) Hust.		X	-	var. intermedia (Kütz.) Cl.*	X	-	-
var. amphirhynchus (Ehr.) Grun.*	X	X	-	A. buccula Chol.	-	X	-
var. biceps (Kütz.) Schönfeldt	X	-	~	A. coarctata Grun.	Х	-	-
var. danica (Kütz.) Grun.	X	X	-	A. congolensis Hust.	-	-	X
var. oxyrhynchus (Kütz.) V.H.	-	X	-	A. delicatula (Kütz.) Grun.	-	Х	-
The last terms of the last ter				A. exigua Grun.	X	X	-
Tabellaria Ehr.				A. hungarica (Grun.) Grun.	-	X	-
T. fenestrata (Lyngb.) Kütz.*				A. inflata (Kütz.) Grun.*			
var. fenestrata		-			X	X	-
var. asterionelloides Grun.	-	-	X	var. elata (Leuduger-Fortmorel)			
T. flocculosa (Rabh.) Kütz.	-	~	X		-	Х	-
				A. lanceolata (Bréb.) Grun.*			
DADIHDIOIDAY EG					X :	X	-
RAPHIDIOIDALES					X	X	-
***				var. haynaldii (IstvSchaarsch.)			
Eunotia Ehr.				' (O 1 1) T D	X		
E. arcus Ehr.	X	X	-		- 2		
E. cf. camelus Ehr.	-	X	-	1 11 1 (37) 0 11) 0	-]		
E. curvata (Kütz.) Lgst.	-	X	-		X - 2	X	-
E. didyma Grun.				A. minutissima Kütz.			
var. tuberosa Hust.	-	X	-	001 1 107 1 7	X 3		
E. flexuosa Bréb. ex Kütz.*					-)		
var. flexuosa		X			- ,		
var. eurycephala Grun.		X		A1.1 1 1 1 1 1 1	- >		
E. glacialis Meister*	-	Х	-	71. sublidusoms flust.	()		

Achnanthes sp.	~ X		Caloneis Cl.			
			C. aerophila Bock	-	Х	-
Cocconeis Ehr.			C. amphisbaena (Bory) Cl.	-	X	-
C. disculus (Schumann) Cl.	$\mathbf{X} - \mathbf{X}$	-	C. bacillum (Grun.) Cl.*	X	X	-
C. pediculus Ehr.	X = X = X	Х	C. hyalina Hust.	-	X	
C. placentula Ehr.			C. molaris (Grun.) Kram.	-	X	-
var. placentula	X X = X = 0	Х	C. permagna (Bailey) Cl.	-	X	-
var. euglypta (Ehr.) Cl.	$\mathbf{X} \cdot \mathbf{X} = \mathbf{X}$	X	C. limosa (Kütz.) Patrick*	-	X	-
var. lineata (Ehr.) Cl.	Х -	-	C. ventricosa (Ehr.) Meister*			
var. rouxii (Brun & Hérib.) Cl.	- X	_	var. ventricosa*	-	Х	X
C. thumensis A. Mayer	;	Х	var. truncatula (Grun.) Meist.*			
Rhoicosphenia Grun.			Campylodiscus Ehr.			
R. abbreviata (C. Ag.) LB.*	X X :	X	C. tanganicae Hust.	-	X	-
			Capartogramma Kufferath			
BIRAPHIDALES			C. amphoroides Ross	Х	х	_
			C. crucicula (Grun. ex Cl.) Ross*		X	
Amphora Ehr.			C. karstenii (Zanon) Ross*		X	
A. coffeiformis (C. Ag.) Kütz.			C. rhombicum Ross		X	
var. coffeiformis			C. Momorcum Ross		A	
var. acutiuscula (Kütz.) Rabh.	- X		Cymatopleura W. Smith			
	- X	-	C. calcarata Hust.		3./	
A. copulata (Kütz.) Schoeman & Archibald**	2/ 2/	• /	C. elliptica (Bréb.) W. Smith	-	X	-
A. inariensis Kram.	X X :		var. hibernica (W. Smith) V.H.*			
A. montana Krasske	- X		C. nyansae G.S. West		-	
	~ X	-		X	Х	Х
A. ovalis (Kütz.) Kütz.			C. solea (Bréb.) W. Smith*			
var. ovalis	X X		var. solea		X	
var. gracilis (Ehr.) Grun.	χ -		var. apiculata (W. Smith) Ralfs*		Х	
var. tallingiae Gasse	- X		var. clavata O. Müll.		-	
A. pediculus (Kütz.) Grun.*	X X :		var. elegans Vir.		-	
A. strigosa Hust.	- X		var. laticeps O. Müll.		-	
A. tanganyikae Calj.	- X		var. nyanzae G.S. West		^	
A. thromboliticola Cocquyt	- X	_	var. rugosa O. Müll.		~	
A. cf. calumetica (Thomas ex			C. subconstricta O. Müll.*	-	-	X
Wolle) M. Perag.	~ X					
Amphora sp.	~ X	-	Cymbella Ag.			
			C. aequalis W. Smith	X	-	-
Anomoeoneis Pfitzer			C. affinis Kütz.	~	χ	X
A. sphaerophora (Ehr.) Pfitzer			C. amphicephala Nägeli	-	χ	-
f. sphaerophora*	$\mathbf{X} - \mathbf{X}$	~	C. caespitosa (Kütz.) Brun	X	χ	***
f. sculpta (Ehr.) Kram.	- X	-	C. cistula (Ehr.) Kirchner*			
var. guentheri O. Müll.	- X	~	var. cistula	X	X	Х
			var. maculata (Kütz.) V.H.*	~	-	X
Brachysira Kütz.			C. comuta (Ehr.) Ross*	X	X	\mathbf{X}
B. brebissonii Ross	- X	**	C. cucumis A. Schmidt	-	X	•
B. microcephala (Grun.) Compère*	- X	-	C. cuspidata Kütz.	X	Х	-
B. serians (Bréb.) Round & Mann*	$\mathbf{X} \cdot \mathbf{X}$	-				

C. cymbiformis Ag.*				var. saxonica (Kütz.) Patrick			v
var. cymbiformis	X	¥	x	E. argus (Ehr.) Kütz.	-	-	Х
var. nonpunctata Fontell	-			var. argus			
C. elginensis Kram.*			х	var. algus var. alpestris Grun.*			-
C. grossestriata O. Müll.	Λ	Λ	Λ	E. sorex Kütz.			**
var. grossestriata	v		v				X
var. tanganyikae G.S. West*	X			E. turgida (Ehr.) Kütz.	Х	Х	. X
C. laevis Nägeli*	-			Frank Pa Dall			
	-	X	-	Frustulia Rabh.			
C. leptoceros (Ehr.) Kütz.*				F. rhomboides (Ehr.) De Toni*			
var. leptoceros	-			var. rhomboides	X	X	X
var. angusta Grun.	X			var. crassinervia (Bréb.) Ross	-	X	-
C. lunata W. Smith*	-	X	~	var. saxonica (Rabh.) De Toni *	-	X	X
C. lunula (Ehr.) Grun.	X	-	~	F. vulgaris (Thwaites) De Toni*	-	X	~
C. cf. mendosa VanLandingham*	-	X	-				
C. microcephala Grun.	-	X	-	Gomphocymbella O. Müll.			
C. minuta Hilse ex Rabh.*	X	X	X	G. aschersonii O. Müll.	X	-	_
C. muelleri Hust.*	X	X	X	G. beccarii (Grun.) Forti*			х
C. naviculoides Hust.	-	X	-	G. gracilis Hust.			X
C. parva (W. Smith) Wolle	X	x	-	G. muelleri Kociolek & Stoermer		X	
C. prostrata Berk.	X	_	-	G. rossii Kociolek & Stoermer		X	
C. silesiaca Bleich ex Rabh.*	-	X	~	G. tanganyikae Kociolek & Stoermer			
C. subcuspidata Krammer*	X	-	-	Gomphocymbella sp.			Х
C. triangulum Ehr.	X	_	-	Comphoeymocha sp.			^
C. tumida (Bréb.) V.H.	X			Gomphonema Ag.			
C. turgida (Greg.) Cl.*	Х			G. acuminatum Ehr.		•.	
Cymbella sp.	_					X	
•				G. aequatoriale Hust. G. affine Kütz.			X
Cymbellonitzschia Hust.				G. africanum G.S. West	-	X	-
C. minima Hust.	х	¥	_				
	**	1		f. africanum		X	
Denticula Kütz.				f. turris Kufferath		X	
Denticula sp.				G. angustatum (Kütz.) Rabh.		-	
Bendeula sp.	-	A	_	G. apicetrapezon Kufferath**	-	X	-
Diplopois Ehr				G. augur Ehr.			
Diploneis Ehr.				var. turris (Ehr.) LB.*		X	
D. elliptica (Kütz.) Cl.*	X			G. brachyneura O. Müll.	X	-	X
D. finnica (Ehr.) Cl.	- :	X	-	G. clavatum Ehr.*	X	-	X
D. oblongella (Nägeli ex Kütz.)				G. clevei Fricke		X	
Cl.*	X			G. dichotomum Kütz.*		X	
D. ovalis (Hilse) Cl.*	X			G. exiguum Kütz.	-	X	X
D. smithii (Bréb. ex W. Smith) Cl.*	X			G. frickei O. Müll.	X	-	-
D. subovalis Cl.	X			G. gracile Ehr.*			
Diploneis sp.	- ;	X	-	var. gracile	X	X	X
				f. turris Hust.	-	X	-
Epithemia Bréb. ex Kütz.						-	
E. adnata (Kütz.) Bréb.*				var. dichotomum (W. Smith) V.H.	X	X	-
var. adnata	X	X	X	var. naviculoides (W. Smith)			
var. porcellus (Grun.) Ross*	χ -				X	-	-
var. proboscidea (Kütz.) Hendey*	X ·	-	~	G. kilhamii Kociolek & Stoermer	-	X	-

			29
G. navicella O. Müll.	Х	N. arenariaeformis Pant.	X
G. olivaceum (Hornemann) Bréb.	- X -	N. arvensis Hust.	х х -
G. paddockii Kociolek & Stoermer	- X -	N. atomus (Kütz.) Grun.	Х
G. parvulum (Kütz.) Kutz.*	$\mathbf{x} \cdot \mathbf{x} \cdot \mathbf{x}$	N. avenacea (Bréb. & Godey)	
G. pumilum (Grun.) Reich. &		Bréb.*	- X -
LB.*		N. bacillum Ehr.*	- X -
[var. pusillum Mayer]	X	N. bahusiensis Grün.	х х -
G. sparsistriatum O. Müll.	χ	N. barbarica Hust.	X = X = X
G. truncatum Ehr.*	Х	N. brevissima Hust.*	- X -
G. vibrio Ehr.*	Х	N. capitata Ehr.	
		var. capitata	- X -
Gomphonitzschia Grun.		var. hungarica (Grun.) Ross	х х -
G. ungeri Grun.	x x x	N. capitatoradiata Germain*	x x x
Gomphonitzschia sp.	X	N. cincta (Ehr.) Ralfs	х х -
		N. cohnii (Hilse) LB.*	Х
Gyrosigma Hass.		N. concentrica Carter*	X
G. acuminatum (Kütz.) Rabh.	- X -	N. confervacea (Kütz.) Grun.	x x -
G. attenuatum (Kütz.) Rabh.	- X -	N. contenta Grun.	- X -
G. balticum (Ehr.) Rabh.	- X -	N. costulata Grun.	x x -
G. distortum (W. Smith) Griff.	Α.	N. crucicula (W. Smith) Donkin	X X -
& Henfrey		N. cryptocephala Kütz.*	x x x
var. parkeri (Harrison) Cl.	x	N. cryptotenella LB.*	X X -
G. nodiferum (Grun.) Reimer*	x x -	N. cuspidata (Kütz.) Kütz.*	x x x
G. scalproides (Rabh.) Cl.	x x -	N. damasii Hust.	x x x
G. sciotense (Sull. et Wormley) Cl.	- X -	N. decussis Østrup*	X X X
G. spenceri (Quekett) Griffith &		N. digitoradiata (Greg.) Ralfs	х х -
Henfrey	- X -	N. distincta G.S. West	- X -
G. wormleyi (Sull.) Boyer	x x -	N. elaborata Hust.	- X -
Gyrosigma sp.	X	N. elginensis (Greg.) Ralfs*	х х -
, and a second of the second o	**	N. erifuga LB.	- X -
Hantzschia Grun.		N. exigua (Greg.) Grun.*	
H. amphioxys (Ehr.) Grun.		var. exigua	$\mathbf{x} \cdot \mathbf{x} \cdot \mathbf{x}$
var. amphioxys	X = X = X	var. lanceolata O. Müll.*	X
var. africana Hust.	- X -	N. faceta Hust.	X
var. africana f. brevis Compère	- X -	N. fossalis Krasske	
var. vivax Grun.	X	var. obsidialis (Hust.) LB.	- X -
H. virgata (Roper) Grun.	- X -	N. gallica (W. Smith) V.H.	
(tapa)		var. gallica	- X -
Mastogloia Thwaites		var. perpusilla (Grun.) LB.	- X -
M. elliptica (Ag.) Cl.		N. gastrum (Ehr.) Kütz.*	
var. elliptica	- X -	var. gastrum	X = X = X
var. dansei (Thwaites) Cl.	- X -	var. signata Hust.	- X -
M. smithii Thwaites	- X -	var. tanganikae Kufferath	- X -
		var. transvaalensis Choln.	- X -
Navicula Bory		var. turgida O. Müll.	Х
N. absoluta Hust.	- X -	N. goeppertiana (Bleisch)	
N. agrestis Hust.	- X -	H.L. Smith*	Х Х -
N. amplectens Hust.	- X -		
The state of the s			

N. halophila (Grun.) Cl.		var. permagna O. Müll.	x
f. halophila*	- x -	N. aff. rhynchocephala Kütz.	- x -
f. tenuirostris Hust.	- X -	N. riparia Hust.	- x -
N. hambergii Hust.	- X -	N. rotunda Hust.	- x -
N. hasta Pant.	- X -	N. salinarum Grun.	- X -
N. laevissima Kütz.*	X	N. scabellum Hust.	X
N. lapidosa Krasske	- X -	N. schroeteri Meister	- x -
1	- X -	N. scutelloides W. Smith ex Greg.	XXX
N. marginestriata Hust. N. mereschkowskii O. Müll.	- A -	N. seminuloides Hust.*	XXX
var. mereschkowskii	W W	N. seminuloides Hust.	Λ Λ Λ
f. minor O. Müll.	х х -	var. hustedtii Patrick	v
	X	N. subcostulata Hust.	- X -
var. recta O. Müll.	X	N. subrhynchocephala Hust.	- X -
N. minima Grun.*	X	N. trivialis LB.*	
N. minuscula Grun.		N. tuscula Ehr.	- X -
var. muralis (Grun.) LB.*	Х Х -		- X -
N. miramaris Frenguelli	- X -	N. vanheurckii Patrick*	- x -
N. modica Hust.	Х Х -	N. vanmeelii Kufferath	- X -
N. monoculata Hust.		N. veneta Kütz.*	- X -
var. omissa (Hust.) LB.	Х Х -	N. ventralis Krasske	X
N. mutica Kütz.		N. viridula (Kütz.) Ehr.	
f. mutica	X X X	var. viridula	- X X
f. intermedia Hust.	- X -	var. linearis Hust.	- X -
N. muticoides Hust.	- X -	var. rostellata (Kütz.) Cl.	X X -
N. nivaloides Bock	- X -	N. zanonii Hust.	X X X
N. nyassensis O. Müll.*		Navicula sp.	X X X
f. nyassensis	X X X	NY 0 30 TOC*.	
f. minor O. Müll.	Х	Neidium Pfitzer	
var. capitata O. Müll.	X	N. affine (Ehr.) Pfitzer*	
var. elliptica O. Müll.	X	var. affine	- X -
var. longirostris O. Müll.	X	var. humerus Reimer	- X -
N. obesa O. Müll.	X X -	N. ampliatum (Ehr.) Kram.*	Х Х -
N. oblonga (Kütz.) Kütz.	- X X	N. dilatatum (Ehr.) Cl.	
N. paramutica Bock	- X -	f. dilatatum	X X -
N. perlatoides (O. Müll.) Hust.*	X X -	forma	- X -
N. perrotettii Grun.	X	N. dubium (Ehr.) Cl.	X X -
N. perminuta Grun.*	- X -	N. iridis (Ehr.) Cl.*	- X -
N. perparva Hust.	- X -	N. productum (W. Smith) Cl.*	X X -
N. placentula (Ehr.) Kütz.	X X -	N. tanganyikae (G.S. West) Mills*	- X -
N. platycephala O. Müll.	X X X	Neidium sp.	- X -
N. pseudolanceolata LB.*	- X -	TO TO USE	
N. pupula Kütz.*	X X X	Nitzschia Hass.**	
N. pygmaea Kütz.	- X -	N. acicularis (Kütz.) W. Smith	
N. radiosa Kütz.		var. acicularis	X X X
var. radiosa	X X X	f. angustior O. Müll.	X
var. acuta Grun.	X	var. major O. Müll.	X - X
var. parva Wallace	X	var. closterioides Grun.	- X -
N. reinhardtii Grun.	Х Х -	N. adapta Hust.	- X X
N. rhynchocephala Kütz.	e e e	N. aequalis Hust.	X X X
var. rhynchocephala	X X X		

N. amphibia Grun.*		N. nana Grun.*	- X -
var. amphibia	$\mathbf{x} \cdot \mathbf{x} \cdot \mathbf{x}$	N. nyassensis O. Müll.	$\mathbf{x} \cdot \mathbf{x} \cdot \mathbf{x}$
var. pelagica Hust.	X	N. obligata Archibald	- X -
N. amphioxoides Hust.	- X X	N. obsoleta Hust.	- X X
N. angustata (W. Smith) Grun.*	- X -	N. obtusa W. Smith	
N. apiceconica Kufferatth	- x -	var. obtusa	- X -
N. archibaldii LB.	- X -	var. schweinfurthii Grun.	- X -
N. asterionelloides O. Müll.	x x -	N. palea (Kütz.) W. Smith*	
N. bacillum Hust.	x x -	var. palea	$\mathbf{x} \cdot \mathbf{x} \cdot \mathbf{x}$
N. calida Grun.*	- x -	var. debilis (Kütz.) Grun.	x - x
N. capitellata Hust.*	- X -	var. hustedtiana Compère	- x -
N. clausii Hantzsch	- X -	var. tenuirostris LB.	x x -
N. closterium (Ehr.) W. Smith*	- X -	N. paleacea (Grun.) Grun.*	x x -
N. communis Rabh.	- X X	N. pelagica O. Müll.	x
N. compressa (Bailey) Boyer	A A	N. perminuta (Grun.) M. Perag.*	- X -
var. vexans (Grun.) LB.	- X -	N. profunda Kufferath	- X -
N. constricta (Kütz.) Ralfs	- X -	N. pseudosubrostrata Kufferath	- X -
N. dissipata (Kütz.) Grun.	- A -	N. recta Hantzsch*	X X -
var. dissipata	- X -	N. reversa W. Smith	- X -
var. media (Hantzsch) Grun.	- X -	N. sigma (Kütz.) W. Smith	- A
N. epiphytica O. Müll.	XXX	var. sigma	- X -
N. epiphyticoides Hust.	XXX	var. rigidula (H. & M. Perag.)	- A -
N. falcata O. Müll.		Grun.	v
N. fonticola Grun.*	- X -	N. aff. sigmaformis Hust.	- X -
N. frauenfeldii Grun.	X X X	N. sigmoidea (Nitzsch) W. Smith	- X - X X -
N. frustulum (Kütz.) Grun.	X	N. siliqua Archibald	X X -
N. fruticosa Hust.*	XXX	N. solita Hust.	- X -
N. gracilis Hantzsch	- X X	N. spiculoides Hust.	- X -
N. granulata Grun.	X X X	N. spiculoides Hust. N. spiculum Hust.	XXX
N. goetzeana O. Müll.	- A -	N. subacicularis Hust.*	- X X
var. gracilior Hust.	X	N. subregula Hust.	- X -
N. inconspicua Grun.*	- X -	N. tarda Hust.	- X -
N. intermedia Hantzsch	- 1	N. tropica Hust.	- X -
var. intermedia	хх -	N. tubicola Grun.	x x -
var. robusta (Hust.) Hust.	- X -	N. umbonata (Ehr.) LB.*	XXX
N. intermissa Hust.	- x -	N. vitrea Norman	X X -
N. kapimbiense Kufferath	- X -	Nitzschia sp.	x x -
N. Jacustris Hust.	- X X	rutzsenia sp.	A A
N. lancettula O. Müll.	XXX	Pinnularia Ehr.	
N. levidensis (W. Smith) Grun.*	A A A	P. acrosphaeria Rabh.*	
var. levidensis	- X -	f. acrosphaeria	v
var. victoriae (Grun.) Choln.*	X X -	f. minor Cl.	X X -
N. liebetruthii Rabh.	- X -	P. amaniensis Hust.	X
N. linearis W. Smith	Α -	P. appendiculata (Ag.) Cl.	- X -
var. linearis	x x x	P. bogotensis (Grun.) Cl.	
var. imeans var. subtilis (Grun.) Hust.	- X -	P. borealis Ehr.	- X -
var. tenuis (W. Smith) Grun.	XXX	f. borealis	v
N. littoralis Grun.*	- X -	f. rectangularis Carlson	- X X
N. microcephala Grun.	- X X	i. icetangularis Calison	- X ~
The second of th	13 A		

P. brevicostata Cl.		x		Rhopalodia sp.	X	X	-
P. cardinalis (Ehr.) W. Smith*		-		G			
P. dactylus Ehr.	-	X	-	Stauroneis Ehr.			
P. divergens W. Smith				S. agrestis Petersen		X	
var. elliptica (Grun.) Cl.	-	X	-	S. anceps Ehr.*		X	
P. gibba Ehr.*				S. dahomensis Hust.*	-	X	~
var. gibba	X	X	X	S. manguinii Guermuer	-	X	-
var. linearis Hust.	-	X	-	S. obtusa Lgst.	-	X	-
var. sancta Grun.	-	X	-	S. phoenicenteron (Nitzsch) Ehr.			
P. hartleyana Greville	-	X	-	var. phoenicenteron	X	Х	X
P. legumen (Ehr.) Ehr.	-	X	-	var. amphilepta (Ehr.) Cl.	-	X	-
P. mesolepta (Ehr.) W. Smith*	X	X	-	S. schinzii Brun.			
P. microstauron (Ehr.) Cl.	-	X	X	var. nyassensis O. Müll.	X	-	-
P. obscura Krasske	X	X	-				
P. scaettae Zanon	-	X	-	Surirella Turp.**			
P. stomatophora (Grun.) Cl.	-	X	-	S. aculeata Hust.	-	Х	-
P. subcapitata Greg.				S. acuminata Hust.	-	X	-
var. subcapitata	X	X	X	S. angusta Kütz.	-	X	atr
var. elongata Kram.	-	X	-	S. astridae Hust.	-	Х	-
var. hilseana (Janisch) O. Müll.	X	-	-	S. bifrons Ehr.			
var. paucistriata Grun.	X	-	-	var. bifrons	Х	X	Х
P. tropica Hust.	-	X	X	var. intermedia O. Müll.	Х	_	X
P. viridis (Nitzsch) Ehr.*	X	X	X	var. tumida O. Müll.*	X	_	X
Pinnularia sp.	-	X	-	S. biseriata Bréb.	-	Х	X
				S. brebissonii Kram. & LB.	-	Х	-
Pleurosigma W. Smith				S. brevicostata O. Müll.*			
P. normannii Ralfs	X	-	-	var. brevicostata	X	X	X
				var. constricta Hust.	-	Х	-
Rhopalodia O. Müll.**				var. elongata Hust.	-	X	-
R. gibba (Ehr.) O. Müll.*				S. debesii Hust.	-	Х	-
var. gibba	X	Х	х	S. decipiens Hust.	-	Х	-
var. parallela (Grun.)				S. effusa Hust.	-	X	
H. & M. Perag.*	Х	х	_	S. elegans Ehr.	-	X	-
R. gibberula (Ehr.) O. Müll.*	X	X	X	S. elegantula Hust.	-	X	-
R. gracilis O. Müll.				S. engleri O. Müll.*	X	X	X
var. gracilis	Х	Х	X	S. fasciculata O. Müll.	-	X	-
var. impressa O. Müll.	X	-	-	S. fuellebornii O. Müll.*			
var. impressa f. perlonga O. Müll.	Х	-	-	var. fuellebomii	X	X	X
var. linearis O. Müll.	Х	-	-	var. elliptica O. Müll.	X	Х	X
var. orculaeformis O. Müll.	X	-	-	var. tumida Hust.	-	X	-
var. undulata O. Müll.	X	-	-	var. worthingtonii Bachm.	X	-	X
R. hirundiniformis O. Müll.*				S. gradifera Hust.	-	X	-
var. hirundiniformis	X	X	X	S. heidenii Hust.	-	X	-
var. turgida Fricke	-	X	-	S. lancettula Hust.	-	Х	~
R. operculata (Ag.) Håkansson	-	X	-	S. latecostata Hust.	-	X	-
R. rhopala (Ehr.) Hust.*	X	X	X	S. linearis W. Smith*			
R. stuhlmannii O. Müll.	X	-	X	var. linearis	X	X	X
R. uncinata O. Müll.	X	-	-	var. elliptica O. Müll.	Х	~	-

S. margaritacea O. Müll.	$\mathbf{X} \cdot \mathbf{X} \cdot \mathbf{X}$	S. cf. spinifera Hust.	X
S. margaritifera Hust.	- X -	S. spiralis Kütz.	X
S. muelleri Forti	Х	S. spiraloides Hust.	- X -
[S. muelleri Hust., non Forti]**	- X -	S. splendida (Ehr.) Kütz.*	$\mathbf{x} \cdot \mathbf{x} \cdot \mathbf{x}$
S. nervosa (Schmidt) Mayer*	X = X = X	S. striatula Turp.	- X -
S. nyassae O. Müll.*		S. striolata Hust.	- X -
var. nyassae	$\mathbf{X} = \mathbf{X} - \mathbf{X}$	S. subcontorta Hust.	- X -
var. sagitta O. Müll.	X - X	S. subrobusta Hust.	- X -
S. obtusiuscula G.S. West	- X -	S. tenera Greg.*	$\mathbf{x} \cdot \mathbf{x} \cdot \mathbf{x}$
S. ovalis Bréb.	- X -	S. terryi Ward ex Terry	- X -
S. plana G.S. West	- X X	S. turbo O. Müll.	x - x
S. reicheltii Hust.	- X -	S. vasta Hust.	- X -
S. sparsipunctata Hust.*	- X -		

List of synonyms

with nomenclatural and taxonomic comments

The following synonyms are used in earlier publications on the algal flora of the three lakes.

CYANOPHYTA

Anabaena flos-aquae var. circularis G.S. West = Anabaenopsis circularis

Anabaenopsis elenkenii Mill. f. circularis (G.S. West) Jeeji Bai = Anabaenopsis circularis

Calothrix cartilaginea G.S. West = Homeothrix cartilaginea

Calothrix juliana (Menegh.) Born. & Flah. = Homeothrix juliana

Chroococcus dispersus (Keissl.) Lemm. = Chroococcus minor f. dispersus

Clathrocystis aeruginosa (Kütz.) Henfrey = Microcystis aeruginosa

Diplocystis incerta (Lemm.) Daily = Microcystis pulverea var. incerta

Gloeocapsa limnetica (Lemm.) Hollerb. = Chrococcus limneticus

Gloeocapsa minor (Kütz.) Hollerb. f. dispersa (Keissl.) Holl. = Chroococcus minor f. dispersus

Glococapsa minuta (Kütz.) Hollerb. = Chroococcus minutus

Gloeocapsa turgida (Kütz.) Hollerb. = Chroococcus turgidus

Microcystis elabens (Bréb.) Kütz. = Aphanothece elabens

Microcystis flos-aquae is often treated as a synonym or forma of M. aeruginosa

Microcystis incerta (Lemm.) Lemm. = Microcystis pulverea var. incerta

Microcystis stagnalis var. pulchra Lemm. = Microcystis pulverea f. pulchra

Nostoc sphaerocarpa Born. & Fl. = Nodularia harveyana

Pilgeria brasiliensis Schmidle, reported by THOMASSON (1956: 261) from Lake Victoria is a doubtful taxon, the type of which could belong to the Chlorophyceae, according to DROUET & DAILY (1956: 158).

Plectonema tomasinianum Gom. = Plectonema mirabile

Pseudanabaena sp. 1, cf. Komarek & Kling (1991: 29).

Pseudanabaena sp. 2, cf. Komarek & Kling (1991: 29).

Romeria leopoliensis (Racib.) Koczw. = Synechococcus leopoliensis

Scytonema crispum (Ag.) Born. = Scytonema cincinnatum

Scytonema mirabile (Dilw.) Born. = Scytonema figuratum

Scytonema tenuissima Kütz. = Spirulina subsalsa

CHLOROPHYTA

CHLOROCOCCALES

Ankistrodesmus longissimus (Lemm.) Wille = Closteriopsis longissima

Ankistrodesmus falcatus var. acicularis (A. Br.) G.S. West = Monoraphidium griffithii

Ankistrodesmus falcatus var. mirabilis West & West: unsufficiently known variety, sometimes treated as *Monoraphidium mirabile* (West & West) Pankow

Ankistrodesmus falcatus var. setiformis f. brevis Nyg. = Koliella setiformis

Ankistrodesmus falcatus var. spirilliformis G.S. West = Monoraphidium contortum

Ankistrodesmus nitzschioides G.S. West = Schroederia nitzschioides

Ankistrodesmus setiger (Schröd.) G.S. West = Schroederia setigera

Cerasterias rhaphidioides Reinsch = Actinastrum rhaphidioides

Characium pringsheimii A. Br. - Characium ornithocephalum var. pringsheimii

Characium pyriforme Lund. = Characium pseudopyriforme

Chodatella armata Lemm. = Franceia armata

Chodatella cingula (G.M. Smith) Fott = Lagerheimia cingula

Chodatella longiseta Lemm. = Lagerheimia longiseta

Chodatella quadriseta Lemm. = Lagerheimia genevensis

Chodatella subsalsa Lemm. = Lagerheimia subsalsa

Chodatella subsalsa var. minor = Lagerheimia subsalsa [var. minor]

Coelastrum cambricum var. nasutum (Schmidle) G.S. West = C. pulchrum var. nasutum

Coelastrum cubicum Näg. = Coelastrum sphaericum

Coelastrum pulchrum var. intermedium Bohl. = Coelastrum indicum

Coelastrum pulchrum Schmidle var. nasutum Schmidle: KOMAREK & FOTT (1983: 734) provisionally classify this variety as a synonym of *Coelastrum speciosum* (Wolle) Brunth. Further revision is necessary, however.

Crucigenia apiculata (Lemm.) Schmidle = Crucigeniella apiculata

Crucigenia apiculata (Lemm.) Schmidle var. africana Wolosz. = Crucigeniella africana

Crucigenia cuneiformis (Schmidle) Brunnth. = Dispora cuneiformis

Crucigenia heteracantha Nordst. = Tetrastrum heteracanthum

Crucigenia irregularis Wille = Willea irregularis

Crucigenia rectangularis (Näg.) Gay = Crucigeniella rectangularis

Crucigenia schroederi (Schmidle) Schmidle = Tetrastrum staurogeniaeforme

Crucigenia tetracantha G.S. West = Pediastrum simplex

Dactylococcopsis africana G.S. West = Ankistrodesmus falcatus

Dactylococcopsis rhaphidioides Hansg. = Stichococcus subtilis

Desmatractum nyanzae (Wolosz.) G.S. West: Syn. = Peniococcus nyanzae Wolosz. The generic status of this taxon is unclear, its position in the genus Desmatractum is questionable (KOMAREK & FOTT 1983: 262).

Dictyosphaerium primarium Skuja = Dictyosphaerium subsolitarum

Dictyosphaerium reniforme Bulnh. = Dimorphococcus lunatus

Gloeococcus schroeteri (Chod.) Lemm. = Sphaerocystis schroeteri

Gloeocystis rehmani Wolosz. = Nephrocytium rehmanii

Hofmania africana Wolosz.: At the genus level, the name Hofmania has been replaced by Komarekia (Fott 1981) but the position of this species in unclear; it may belong to Komarekia or another genus (KOMAREK & FOTT 1983: 753).

Ineffigiata neglecta West & West = Botryococcus braunii

Keratococcus suecicus has been reported from L. Tanganyika and L. Victoria but was probably confused with *Schroederia setigera* (KOMAREK & FOTT 1983: 625).

Kirchneriella lunata Schmidle: KOMAREK & FOTT (1983: 669) suggest that this name could be a synonym of *K. lunaris*; in this case, the correct name of the species should be *K. lunata*.

Lagerheimia subsalsa = Chodatella subsalsa var. citriformis. This variety was probably described from old, somewhat deformed cells of the typical variety (KOMAREK & FOTT 1983: 472). Further revision needed.

Lagerheimia subsalsa [var. minor]: Described as *Chodatella subsalsa* var. *minor*. Revision is needed to confirm taxonomic status before new combination can be made.

Monoraphidium setiforme (Nyg.) Kom.-Legn. = Monoraphidium komarkovae

Pediastrum areanosum (Racib.) Racib. and var. rugulosum (G.S. West) G.M. Smith = Pediastrum angulosum

Pediastrum bidentulum A. Br. = Pediastrum boryanum

Pediastrum boryanum var. brevicorne f. granulatum (Racib.) Parra = Pediastrum boryanum var. longicome

Pediastrum boryanum var. rugulosum G.S. West = Pediastrum boryanum

Pediastrum boryanum var. undulatum Wille = Pediastrum boryanum

Pediastrum clathratum (Schröt.) Lemm.: The typical variety, the var. microporum Lemm. and the formae majus, ovatum, radians and asperum are synonyms of P. simplex Meyen var. simplex.

Pediastrum clathratum var. mirabile Wolosz. could be a good variety of *P. simplex* (KOMAREK & FOTT 1983: 280); treated as synonym of *P. simplex* var. *simplex* by PARRA (1979: 112).

Pediastrum duplex Meyen var. cohaerens Bohl.: This variety needs further revision, it is possibly identical with *P. argentiniense* Bourr. & Tell (KOMAREK & FOTT 1983: 300).

Pediastrum duplex Meyen var. rectangulare Bohl. = Pediastrum argentiniense

Pediastrum duplex var. clathratum A. Br. = P. duplex var. duplex

Pediastrum duplex var. gracillimum West & West = P. duplex var. duplex

Pediastrum duplex var. inflatum Wolosz. = P. duplex var. duplex

Pediastrum duplex var. reticulatum Lagerh. = P. duplex var. duplex

Pediastrum gracillimum (West & West) Thunm. = P. duplex var. duplex

Pediastrum simplex Meyen var. annulatum Chod.: Taxonomic status needs revision (KOMAREK & FOTT 1983: 290); treated as synonym of *P. simplex* var. *simplex* by PARRA (1979: 111).

Pediastrum simplex var. clathratum = Pediastrum simplex var. simplex.

Pediastrum simplex Meyen var. duodenarium (Bail.) Rabh.: This variety may be identical to var. biwaense Fukush. Further revision is needed (KOMAREK & FOTT 1983: 290); treated as synonym of P. simplex var. simplex by PARRA (1979: 11).

Pediastrum simplex Meyen var. radians Lemm.: Taxonomic status needs revision (KOMAREK & FOTT 1983: 290); treated as synonym of *P. simplex* var. *simplex* by PARRA (1979: 112).

Pediastrum simplex Meyen var. radians Lemm. f. contortum Wolosz.: treated as a synonym of *P. simplex* var. *simplex* by PARRA (1979: 112).

Pediastrum sturmii Reinsch = Pediastrum simplex var. sturmii

Pediastrum tetras (Ehr.) Ralfs var. perforatum Wolosz.: Taxonomic status requires revision (KOMAREK & FOTT 1983: 303); treated as synonym of *P. tetras* by PARRA (1979: 116).

Pediastrum triangulum (Ehr.) A. Br. var. angustum Nitardy = Pediastrum simplex var. simplex.

Pediastrum triangulum var. latum Nitardy = Pediastrum simplex var. simplex

Pediastrum muticum Kütz. = Pediastrum boryanum var. brevicorne

Pediastrum westii Wolosz.: probably a variety of P. boryanum (Turp.) Menegh. (KOMAREK & FOTT 1983: 298).

Polyedrium trigonum (Näg.) Hansg. var. tetragonum (Näg.) Rabh. = Tetraedron tetragonum Rhaphidium braunii Näg. var. lacustris Chod. = Quadrigula lacustris

Raphtdum planctonicum Wolosz. = Elakotothrix gelatinosa; according to HINDAK (1962: 287)

R. planctonicum is unsufficiently described and could as well be a synonym of E. genevensis (Reverd.) Hindak.

Richteriella botryoides (Schmidle) Lemm. f. quadriseta (Lemm.) Chod. = Micractinium quadrisetum

Scenedesmus acutiformis var. brasiliensis (Bohl.) West & West = Scenedesmus brasiliensis Scenedesmus bijugatus Kütz. = Scenedesmus obliquus

Scenedesmus bijugatus Kütz. var. alternans (Reinsch) Hansg. = Scenedesmus alternans

Scenedesmus bijugatus Kütz. f. arcuatus (Lemm.) West & West = Scenedesmus obtusus

Scenedesmus curvatus Bohl. = Raysiella curvata

Scenedesmus curvatus Bohl. var. linearis = Raysiella curvata

Scenedesmus denticulatus var. linearis Hansg. = Scenedesmus aculeolatus

Scenedesmus ecornis var. disciformis Chod. = Scenedesmus disciformis

Scenedesmus falcatus Chod. = Scenedesmus acuminatus

Scenedesmus hystrix f. Wolosz. = Scenedesmus woloszynskae

Scenedesmus longus Meyen var. maximus West & West = Scenedesmus magnus

Scenedesmus magnus Meyen [var. arcuatus Vir.] : Taxonomic revision is needed before a new combination can be made.

Scenedesmus maximus (West & West) Chod. = Scenedesmus magnus

Scenedesmus maximus (West & West) Chod. var. arcuatus Vir. = Scenedsmus magnus

Scenedesmus perforatus var. pologranulatus Teil. = Scenedesmus perforatus

Scenedesmus platydiscus (G.M. Smith) Chod. = Scenedesmus arcuatus var. platydiscus

Scenedesmus quadricauda (Turp.) Bréb.: Since Chodat, this name is widely used for a taxon not agreeing with its original type; since a conservation proposal has been introduced (COMPÈRE & KOMAREK 1990) we shall follow current use, pending the recommendation of the nomenclature committees.

Scenedesmus quadricauda var. opoliensis (Richt.) West & West = Scenedesmus opoliensis.

Selenastrum bibraianum Reinsch = Ankistrodesmus bibraianus

Selenastrum gracile Reinsch: Ankistrodesmus gracilis

Sorastrum spinulosum var. hathoris (Cohn) Lemm. = Sorastrum hathoris

Sphaerocystis schroeteri Chod.: syn. = Gloeococcus schroeteri (Chod.) Lemm. Confusion may arise with Eutetramorus fottii (Hind.) Kom. by some authors. The latter taxon forms autospores while S. schroeteri multiplies by zoospores.

Staurogenia cuneiformis Schmidle = Dispora cuneiformis

Tetracoccus botryoides W. West = Westella botryoides

Tetradesmus ostenfeldii (Wolosz.) G.S. West = Tetradesmus wisconsinensis f. ostenfeldii

Tetraedron: According to KOMAREK & FOTT (1983), this genus includes true green algae, with a large central or parietal chloroplast provided with a pyrenoid, reproducing by autospores. Many of the species reported from the East African great lakes are questionable since the structure of the chloroplast and the reproduction are unsufficiently known: T. arthrodesmiforme, T. inflatum, T. paradoxum, T. trigonum, T. victoriae and the numerous varieties described by Woloszynska. Tetraedron incus (Teil.) G.M. Smith which reproduces by means of zoospores should be transferred to Chlorotetraedron (Fott & Komarek 1983: 130). Tetraedron tetraedricum (Näg.) West & West, based on Polyedrium tetraedricum Näg. could be a synonym of Tetraedron regulare Kütz. or of the Xanthophycean Tetraedriella gigas (Pasch.) Dedus.

Tetraedron enorme (Ralfs) Hansg. = Pseudostaurastrum enorme

Tetraedron hastatum (Reinsch) Hansg. = Pseudostaurastrum hastatum

Tetraedron limneticum Borge and var. minimum (A. Br.) Hansg. = Pseudostaurastrum limneticum and var. minimum

Tetraedron lobulatum (Näg.) Hansg. = Isthmochloron lobulatum

Tetraedron tetraedricum (Näg.) West & West : could be a Tetraedriella

Victoriella ostenfeldii Wolosz. = Tetradesmus wisconsinensis f. ostenfeldii

ULOTRICHALES

Stichococcus subtilis (Kütz.) Kerck. = Klebsormidium subtile

OEDOGONIALES

Ocdogonium hirnii var. africanum G.S. West = Oedogonium patulum

DESMIDIALES

Arthrodesmus controversus West & West = Staurodesmus convergens

Arthrodemus incus Bréb. = Staurodesmus incus

Arthrodesmus incus var. ralfsii (W. West) West & West = Staurodesmus incus var. ralfsii

Arthrodesmus fuellebornii Schmidle = Staurodesmus brevispina fac.2 fuellebornii

Arthrodesmus fuellebornii var. longispina Grönb. = Staurodesmus subulatus var. subaequalis

Arthrodesmus triangularis Lagerh. = Staurodesmus triangularis

Arthrodesmus triangularis var. subtriangularis (Borge) West & West = Staurodesmus subtriangularis

Closterium cynthia De Not. var. jenneri (Ralfs) Krieg. = Closterium jenneri

Closterium moniliferum var. galiciense (Gutw.) G.S. West = Closterium moniliferum var. moniliferum

Closterium praelongum Bréb. var. crassius Schmidle: This variety may only be an extreme form of the typical variety, and needs further study (RUZICKA 1977: 164).

Closterium schroederi Wolosz. = Closterium kuetzingii var. laeve

Cosmarium australe (Racib.) Lütkem. et formae = Actinotaenium australe

Cosmarium aversum West & West = Cosmarium contractum var. aversum

Cosmarium contractum var. minutum (Delp.) West & West = Cosmarium minutum

Cosmarium didymocarpum (Lund.) Lütkem. ex Grönb. = Penium didymocarpum

Cosmarium globosum Bulnh. = Actinotaenium globosum

Cosmarium globosum Bulnh. var. wollei West & West = Actinotaenium wollei

Cosmarium homalodermum Nordst. var. minor Schmidle = Cosmarium hammeri var. schmidlei

Cosmarium lagenarioides (Roy) Lütkem. = Actinotaenium lagenarioides

Cosmarium lagenarioides var. sidneyense Racib. = Actinotaenium sidneyense

Cosmarium meneghinii Bréb. ex Ralfs var. concinnum Rabh. = Cosmarium meneghinii

Cosmarium meneghinii var. octangulare (Wille) West & West = Cosmarium impressulum

Cosmarium moniliforme (Turp.) Ralfs f. panduriforme Heimerl = Cosmarium moniliforme

Cosmarium muelleri Schmidle = Cosmarium galeritum var. muelleri

Cosmarium retusiforme f. abscissa (Schmidle) Borge = Cosmarium trilobulatum var. abscissum

Cosmarium subbinale (Nordst.) Lagerh. var. abyssinicum Lagerh. and f. minus Schmidle = Cosmarium nymannianum var. abyssinicum

Cosmarium symoensii Van Oye is probably only a form of Actinotaenium cucurbita.

Cylindrocystis subpyramidata West & West = Cosmarium subpyramidatum, which is probably a species of Actinotaenium.

Euastrum binale var. subelobatum (W. West) West & West = Euastrum elobatum

Euastrum evolutum (Nordst.) West & West = Euastrum glaziovii var. evolutum

Euastrum pseudopectinatum var. evolutum Schmidle = Euastrum truncatiforme

Euastrum rostratum Ralfs: according to Ruzicka, this unsufficiently decribed species could be synonym with Euastrum bidentatum Näg.

Euastrum spinulosum f. duplo-minor West & West = Euastrum spinulosum var. spinulosum Micrasterias cunningtonii G.S. West: This species is related to Micrasterias apiculata (Ehr.) Menegh. ex Ralfs var. lacerata Turn. and needs further revision (RUZICKA 1981: 647).

Micrasterias incisa (Kütz.) Bréb. in Ralfs f. typica Turn. : Micrasterias zeylanica

Penium australe Racib. = Actinotaenium australe

Penium navicula Bréb. = Closterium navicula

Pleurotaenium caldense Nordst. f. africanum G.S. West = Pleurotaenium eugeneum var. africanum

Pleurotaenium cristatum Turn. f. africanum Schmidle = Pleurotaenium subcoronulatum var. africanum

Pleurotaenium elatum var. conjunctum (Turn.) West & West = Pleurotaenium caldense

Sphaerozosma papillosum (West & West) Schmidle = Spondylosium papillosum

Staurastrum brevispina Bréb. ex Ralfs = Staurodesmus brevispina

Staurastrum brevispina var. inerme Wille = Staurodesmus brevispina

Staurastrum corniculatum Lund. var. spinigerum W. West f. latum Grönb. = Staurodesmus comiculatus

Staurastrum cuspidatum (Bréb.) Ralfs = Staurodesmus cuspidatus

Staurastrum dejectum (Bréb.) Ralfs = Staurodesmus dejectus

Staurastrum dickiei Ralfs = Staurodesmus dickiei

Staurastrum dickiei var. circulare Turn. = Staurodesmus dickiei var. circularis

Staurastrum dickiei var. circulare Turn. f. majus Turn. = Staurodesmus dickiei var. circularis

Staurastrum disputatum var. sinense (Lütkem.) West & West = Staurastrum sinense

Staurastrum jaculiferum W. West = Staurodesmus jaculiferus

Staurastrum jaculiferum var. excavatum West & West, originally described from Scotland is considered very dubious by TEILING (1967: 563).

Staurastrum paradoxum was treated by BROOK (1959) as Staurastrum anatinum f. paradoxum but this is in conflict with the rules of botanical nomenclature.

Staurastrum pilosum (Bréb. non Näg.) Arch. = Staurastrum brebissonii

Staurastrum tohopekaligense f. quadrangulare G.S. West: an illegitimous later homonym of S. tohopekaligense var. quadrangulare West & West, based on a different type

Staurodesmus convergens f. minor (Grönb.) Thom. = Staurodesmus convergens var. laportei Staurodesmus cuspidatus (Bréb.) Teil. f. tricuspidatus (Bréb.) Teil. = Staurodesmus cuspidatus Staurodesmus glaber Ehr. f. limnophilus Teil. = Staurodesmus glaber var. limnophilus Sphaerozosma excavatum Ralfs = Teilingia excavata

ZYGNEMATALES

Spirogyra decimina (O.F. Müll.) Kütz. f. tropica G.S. West = Spirogyra columbiana

CHARALES

Chara brachypus A. Br. = Chara setosa

Chara brachypus var. tanganyikae R.D. W. = Chara setosa f. tanganyikae

Chara gymnophylla A. Br. = Chara vulgaris f. gymnophylla

Nitella furcata (Roxb. ex Bruz.) Ag. f. mucronata (A. Br.) R.D. W. = Nitella mucronata

EUGLENOPHYTA

Euglena charkowiensis Swir. = Euglena oxyuris f. charkowiensis

Strombomonas verrucosa (Dad.) Defl. var. conspersa (Pasch.) Defl. and var. zmiewika (Swir.)

Defl. = Strombomonas acuminata

DINOPHYTA

Ceratium hirundinella (O. Müll.) Dujard. var. brachyceros (Dad.) Ostenf. = Ceratium brachyceros

Ceratium macroceras Schrank = Ceratium hirundinella

Glenodinium penardii Lemm. = Peridiniopsis penardii

Gymnodinium albulum Lind. = Gymnodinium lantzchii

Gymnodinium profundum Schill. = Gymnodinium lacustre

Gymnodinium mirabile Penn. = Gymnodinium uberrimum

Gymnodinium rotundatum Klebs = Gymnodinium uberrimum

Peridinium apiculatum (G.S. West) Lind. = Peridinium palatinum

Peridinium berolinense Lemm. = Peridiniopsis berolinense

Peridinium berolinense Lemm. var. apiculata Lemm. = Peridiniopsis berolinense

Peridinium cunningtonii (Lemm.) Lemm. = Peridiniopsis cunningtonii

Peridinium inconspicuum Lemm. = remarks for Peridinium umbonatum

Peridinium pusillum (Pen.) Lemm. = remarks for Peridinium umbonatum

Peridinium umbonatum Stein: POPOVSKY & PFIESTER (1990: 183) used a very broad concept of this species, including *P. inconspicuum* and *P. pusillum*. In view of the limited knowledge of the morphological variability of this group and the lack of profound studies of African populations of this species complex, we prefer to keep these three taxa separate at this stage.

Peridinium volzii Lemm.: POPOVSKY & PFIESTER (1990: 165) considered this species as a synonym of *P. willei* Huitf.-Klass. Although there are clear relationships between these two species, we consider the knowledge of their morphological variability and ecological characteristics as too limited to combine them into one taxon.

Peridinium westii Lemm.: Popovsky & Pfiester (1990: 168) included this species in P. cinctum Ehr., but as in the case of P. volzii, we prefer to keep them separate at this stage. Sphaerodinium cinctum (Ehr.) Wolosz. var. polonicum (Wolosz.) Hub.-Pest. = Sphaerodinium cinctum

CHRYSOPHYTA

Heterochromonas sp. = Spumella sp.

BACILLARIOPHYTA

Achnanthes saxonica Krasske = Achnanthes oblongella

Achnanthidium brevipes Ag. var. intermedium Kütz. = Achnanthes brevipes var. intermedia Achnanthidium inflatum Kütz. = Achnanthes inflata

Achnanthidium lanceolatum Bréb. = Achnanthes lanceolata

Achnanthidium lanceolatum var. haynaldii Istv.-Schaarrsch. = Achnanthes lanceolata var. haynaldii

Amphora copulata: Observations on material from Lake Tanganyika by one of us (C.C.) displayed a great variability in this taxon. Future thorough study, requiring cultures, is necessary to know whether this is either a valid species or a complex of different taxa.

Amphora lybica Ehr. - Amphora copulata

Amphora ovalis (Kütz.) Kütz. var. affinis (Kütz.) V.H. = Amphora copulata

Amphora ovalis var. libyca (Ehr.) Cl. = Amphora copulata

Amphora ovalis var. pediculus (Kütz.) V.H. = Amphora pediculus

Amphora perpusilla Grun. - Amphora pediculus

Anomoconeis serians (Bréb.) Cl. - Brachysira serians

Anomoeoneis sphaerophora var. biceps Ehr. = Anomoeoneis sphaerophora

Anomoeoneis vitrea (Grun.) Ross = Brachysira microcephala

Aulacoseira: Most of the species and infraspecific taxa of this genus were originally treated as *Melosira*; when the combination has not yet validly been published in the genus *Aulacoseira* this is indicated in square brackets e.g. *Aulacoseira italica* (Ehr.) Sim. [var. *plicatella* O. Müll.]; the taxon was described as *Melosira italica* var. *plicatella* O. Müll.; it belongs to the genus *Aulacoseira*, and not to the genus *Melosira*, but research is to be done to see wether this taxon belongs to *A. italica*, to another taxon or deserves recognition.

Asterionella gracillima (Hantzsch) Heib. = Asterionella formosa

Aulacoseira distans (Ehr.) Sim. var. africana (O. Müll.) Sim. = Aulacoseira pfaffiana

Biddulphia aurita (Lyngb.) Bréb. = Odontella aurita

Caloneis fasciata (Lgst.) Cl. = Caloneis bacillum

Caloneis schumanniana (Grun.) Cl. = Caloneis limosa

Caloneis silicula (Ehr.) Cl. = Caloneis ventricosa

Caloneis silicula var. limosa (Kütz.) VanLandingham = Caloneis ventricosa var. truncatula

Capartogramma jeanii Kufferath = Capartogramma karstenii

Cocconema cistula (Ehr.) W. Smith = Cymbella cistula

Cocconema cistula var. maculatum (Kütz.) Grun. = Cymbella cistula var. maculata

Cocconema cymbiforme Ehr. = Cymbella cymbiformis

Cocconema gracile (Rabh.) G.S. West = Cymbella lunata

Cocconeis hustedtii Krasske = Achnanthes rupestoides

Cocconema grossestriatum (Müll.) G.S. West var. tanganyikae G.S. West = Cymbella grossestriata var. tanganyikae

Cocconema laeve Näg. = Cymbella laevis

Cocconema leptoceros Ehr. = Cymbella leptoceros

Cocconema turgidum (Greg.) G.S. West = Cymbella elginensis

Cyclotella comta (Ehr.) Kütz. auct. non (Ehr.) Kütz. = Cyclotella radiosa

Cyclotella kuetzingiana Thwaites = Cyclotella krammeri

Cyclotella meneghiniana var. rectangularis Grun. = Cyclotelle meneghiniana

Cyclotella meneghiniana var. rectangulata (Bréb.) Grun. = Cyclotella meneghiniana

Cyclotella operculata Kütz. = Cyclotella distinguenda

Cylindrotheca closterium Reiman & Lewin = Nitzschia closterium

Cymatopleura elliptica (Bréb.) W. Smith var. rhomboides Grun. = Cymatopleura elliptica var. hibernica

Cymatopleura librile (Ehr.) Pantocsek = Cymatopleura solea

Cymatopleura librile var. apiculata (W. Smith) Ralfs = Cymatopleura solea var. apiculata

Cymatopleura solea var. subconstricta O. Müll. = Cymatopleura subconstricta

Cymatopleura solea var. subconstricta O.Mül. f. minor O. Müll.= Cymatopleura solea

Cymbella gracilis (Rabh.) Cl. = Cymbella lunata

Cymbella grossestriata var. obtusiuscula O. Müll. = Cymbella muelleri

Cymbella heteropleura Ehr. var. minor Cl. = Cymbella subcuspidata

Cymbella lanceolata (Ehr.) Kirchner = Cymbella cornuta

Cymbella minuta var. silesiaca (Bleich ex Rabh.) Reimer = Cymbella silesiaca

Cymbella rabenhorstii Ross = Cymbella lunata

Cymbella cf. subalpina Hust. non Meister = Cymbella cf. mendosa

Cymbella turgida Greg. non Hassal = Cymbella elginensis

Cymbella ventricosa Kütz. = Cymbella minuta

Diploneis oblongella var. ovalis (Hilse) Ross = Diploneis ovalis

Diploneis ovalis var. oblongella (Näg.) Cl. = Diploneis oblongella

Epithemia argus var. amphicephala Grun. = Epithemia argus var. alpestris

Epithemia clavata Dickie = Rhopalodia rhopala

Epithemia gibba Ehr. var. ventricosa V.H. = Rhopalodia gibba

Epithemia zebra (Ehr.) Kütz. = Epithemia adnata

Epithemia zebra var. porcellus Grun. = Epithemia adnata var. porcellus

Epithemia zebra var. proboscidea (Kütz.) Grun. = Epithemia adnata var. proboscidea

Eunotia biceps Ehr. = Eunotia flexuosa

Eunotia gracilis (Ehr.) Rabh. = Eunotia glacialis

Eunotia lunaris: This name is a later homonym of E. lunaris Bréb. ex Rabh.; according to KRAMMER & LANGE-BERTALOT (1991) the correct name should be E. bilunaris (Ehr.) Mills, but Mills did not actually publish this combination which should be validated by a complete reference to the basionym.

Eunotia polydentula Brun var. perpusilla Grun. = Eunotia micocephala

Eunotia tridentula Ehr. var. perpusilla Grun. = Eunotia microcephala

Fragilaria elliptica Schumann = Fragilaria pinnata

Fragilaria exigua (W. Smith) Lemm. = Fragilaria construens var. exigua

Fragilaria minutissima Grun. = Fragilaria pinnata

Fragilaria mormonorum Grun. = Fragilaria lapponica

Fragilaria mutabilis (W. Smith) Grun. = Fragilaria pinnata

Fragilaria mutabilis var. intermedia Grun. = Fragilaria intermedia

Fragilaria undata Smith = Fragilaria constricta

Gomphocymbella brunii (Fricke) O. Müll. = Gomphocymbella beccarii

Gomphonema acuminatum var. turris (Ehr.) Cl. = Gomphonema augur var. turris

Gomphonema angustatum var. intermedia Grun. = Gomphonema parvulum

Gomphonema apicetrapezon Kufferath: The original illustration is so poor that it is almost useless (Vanlandingham 1967-1979).

Gomphonema constrictum Ehr. = Gomphonema truncatum

Gomphonema constrictum var. capitatum (Ehr.) Grun. = Gomphonema truncatum

Gomphonema intricatum Kütz. = Gomphonema dichotomum

Gomphonema intricatum var. pumilum Grun. = Gomphonema pumilum

Gomphonema intricatum var. pusillum Mayer = Gomphonema pumilum?

Gomphonema intricatum var. vibrio (Ehr.) V.H. = Gomphonema vibrio

Gomphonema gracile var. lanceolata (Kütz.) Cl. = Gomphonema gracile

Gomphonema lanceolatum Ehr. = Gomphonema gracile

Gomphonema naviculoides W. Smith = Gomphonema gracile var. naviculoides

Gomphonema parvulum var. micropus (Kütz.) Cl. = Gomphonema parvulum

Gomphonema subclavatum (Grun.) Grun. = Gomphonema clavatum

Gyrosigma spenceri var. nodifera (Grun.) Cl. = Gyrosigma nodiferum

Melosira agassizii Ostenf. = Aulacoseira agassizii

Melosira ambigua (Grun.) O. Müll. = Aulacoseira ambigua

Melosira argus O. Müll. = Aulacoseira argus

Melosira crenulata (Ehr.) Kütz. var. tenuissima Grun. = Aulacoseira italica var. tenuissima

Melosira distans Ehr. var. africana O. Müll.: Aulacoseira pfaffiana

Melosira goetzeana O. Müll. - Aulacoseira goetzeana

Melosira goetzeana f. tenuior O. Müll. = Aulacoseira goetzeana

Melosira goetzeana var. tubulosa O. Müll. = Aulacoseira goetzeana

Melosira granulata (Ehr.) Ralfs = Aulacoseira granulata

Melosira granulata var. angustissima O. Müll. = Aulacoseira granulata var. angustissima

Melosira granulata var. muzzanensis (Meister) Hust. = Aulacoseira muzzanensis

Melosira granulata f. procera Grun. = Aulacoseira granulata

Melosira granulata var. jonenis Grun. = Aulacoseira granulata

Melosira ikapoënsis O. Müll. = Aulacoseira ikapoënsis

Melosira ikapoënsis var. minor O. Müll. = Aulacoseira ikapoënsis var. minor

Melosira ikapoënsis var. procera O. Müll. = Aulacoseira ikapoënis var. procera

Melosira italica (Ehr.) Kütz. = Aulacoseira italica

Melosira italica var. tenuissima (Grun.) O. Müll. = Aulacoseira italica var. tenuissima

Melosira kondeensis O. Müll. = Aulacoseira kondeensis

Melosira magnusii O. Müll. = Aulacoseira magnusii

Melosira mbasiensis O. Müll. = Aulacoseira mbasiensis

Melosira nyassensis O. Müll. = Aulacoseira nyassensis

Melosira pyxis O. Müll. = Aulacoseira pyxis

Melosira roeseana Rabh. = Orthoseira roeseana

Melosira schroederi Wolosz. = Aulacoseira agassizii

Melosira schroederi var. minor Wolosz. = Aulacoseira agassizii

Melosira stricta O. Müll. = Aulacoseira goetzeana

Microsiphona potamos Weber = Skeletonema potamos

Navicula acrosphaeria Bréb. = Pinnularia acrosphaeria

Navicula acrosphaeria var. sandvicensis Dickie = Pinnularia acrosphaeria

Navicula anglica Ralfs = Navicula elginensis

Navicula anglica var. subsalsa Grun. = Navicula elginensis

Navicula bacilliformis Grun. = Navicula laevissima

Navicula cardinalis Ehr.: Pinnularia cardinalis

Navicula cryptocephala var. intermedia Grun. = Navicula capitatoradiata

Navicula cryptocephala var. veneta (Kütz.) Rabh. = Navicula veneta

Navicula cuspidata var. ambigua (Ehr.) Cl. = Navicula cuspidata

Navicula dicephala W. Smith = Navicula elginensis

Navicula dulcis Patrick = Navicula perminuta

Navicula elliptica Kütz. = Diploneis elliptica

Navicula exigua var. capitata Patrick = Navicula exigua

Navicula exigua var. lanceolata f. stigmata O. Müll. = Navicula exigua var. lanceolata

Navicula exiguiformis Hust.: Navicula decussis

Navicula exilis Kütz. = Navicula cryptocephala

Navicula gastrum f. minuta Guermeur = Navicula gastrum

Navicula gastrum var. exigua (Grég.) Grun. = Navicula exigua

Navicula gastrum var. turgida f. stigmata O. Müll. = Navicula perlatoides

Navicula gibba Ehr. = Rhopalodia gibba

Navicula halophila var. subcapitata Østrup = Navicula halophila

Navicula interrupta W. Smith = Pinnularia mesolepta

Navicula lanceolata sensu Hustedt = Navicula pseudolanceolata

Navicula lanceolata sensu Lange-Bertalot = Navicula avenacea

Navicula lanceolata sensu Kützing = Navicula trivialis

Navicula lanceolata var. cymbula (Donkin) Cl. = Navicula concentrica

Navicula limosa Kütz. var. gibberula (Kütz.) Grun. = Caloneis ventricosa var. truncatula

Navicula mesolepta Ehr. = Pinnularia mesolepta

Navicula minima var. atomoides (Grun.) Cl. = Navicula minima

Navicula muralis Grun. - Navicula minuscula var. muralis

Navicula mutica var. cohnii (Hilse) Grun. = Navicula cohnii

Navicula mutica var. goeppertiana (Bleisch) Grun. = Navicula goeppertiana

Navicula productum W. Smith = Neidium productum

Navicula pseudobacillum Grun. = Navicula bacillum

Navicula pupula var. capitata Hust. = Navicula pupula

Navicula pupula var. elliptica Hust. = Navicula pupula

Navicula pupula var. nyassensis (O. Müll.) L.-B. = Navicula nyassensis

Navicula pupula var. rectangularis (Greg.) Cl. & Grun. = Navicula pupula

Navicula radiosa var. tenella (Bréb.) Grun. = Navicula cryptotenella

Navicula rhomboides Ehr. = Frustulia rhomboides

Navicula rotaeana (Rabh.) Grun. = Navicula vanheurckii

Navicula salinarum var. intermedia (Grun.) Cl. = Navicula capitatoradiata

Navicula seminuloides var. sumatrana Hust. = Navicula seminuloides

Navicula serians Bréb. ex Kütz. = Brachysira serians

Navicula simplex Krasske = Navicula halophila

Navicula smithii Bréb. ex W. Smith = Diploneis smithii

Navicula sphaerophora Kütz. = Anomoeoneis sphaerophora

Navicula spirata Hust. = Navicula brevissima

Navicula tanganikae G.S. West = Neidium tanganyikae

Navicula viridis Kütz. = Pinnularia viridis

Navicula viridula var. avenacea (Bréb. ex Grun.) V.H. = Navicula avenacea

Neidium affine var. longiceps (Greg.) Cl. = Neidium affine

Neidium iridis var. ampliata (Ehr.) Cl. = Neidium ampliatum

Neidium iridis var. amphigomphus (Ehr.) Tempère & Perag. = Neidium iridis

Nitzschia: Material from the three East African great lakes belonging to this genus requires extensive study; wrong identifications of some taxa are not excluded.

Nitzschia abbreviata Hust. = Nitzschia inconspicua

Nitzschia accomodata Hust. = Nitzschia palea

Nitzschia actinastroides (Lemm.) Van Goor = Nitzschia fruticosa

Nitzschia amphibia var. acutiuscula Grun. = Nitzschia amphibia

Nitzschia angustata var. acuta Grun. = Nitzschia angustata

Nitzschia baccata Hust. = Nitzschia paleacea

Nitzschia confinis Hust. = Nitzschia paleacea

Nitzschia diserta Hust. = Nitzschia capitellata

Nitzschia frustulum (Kütz.) Grun. var. perminuta Grun. = Nitzschia perminuta

Nitzschia obtusa W. Smith var. scalpelliformis Grun. f. nana Grun. = Nitzschia nana

Nitzschia palea var. fonticola Grun. = Nitzschia fonticola

Nitzschia palea var. tenuirostris Grun. = Nitzschia capitellata

Nitzschia perpusilla Rabh. = Nitzschia inconspicua

Nitzschia rostellata Hust. - Nitzschia subacicularis

Nitzschia subrostrata Hust. - Nitzschia subacicularis

Nitzschia thermalis (Ehr.) Auerswald = Nitzschia umbonata

Nitzschia tryblionella Hantzsch var. levidensis (W. Smith) Grun. = Nitzschia levidensis

Nitzschia tryblionella var. littoralis (Grun.) Grun. - Nitzschia littoralis

Nitzschia tryblionella var. victoriae Grun. -- Nitzschia levidensis var. victoriae

Nitzschia umbilicata Hust. - Nitzschia calida

Nitzschia vitrea var. recta Hantzsch = Nitzschia recta

Pinnularia interrupta W. Smith = Pinnularia mesolepta

Pinnularia interrupta f. biceps (Greg.) Cl. = Pinnularia mesolepta

Pinnularia stauroptera (Grun.) Rabh. = Pinnularia gibba

Pinnularia stauroptera var. interrupta Cl. = Pinnularia gibba

Rhizosolenia africana Wolosz. = Rhizosolenia curviseta

Rhoicosphenia curvata (Kütz.) Grun. = Rhoicosphenia abbreviata

Rhopalodia: The varieties of R. gracilis and R. hirundiniformis were not always easily distinguished from the type variety; many intermediary forms between the varieties were observed. Intensive studies, requiring cultures, may reduce the number of intraspecific taxa.

Rhopalodia ascoidea O. Mül. = Rhopalodia rhopala

Rhopalodia asymmetrica O. Müll. = Rhopalodia rhopala

Rhopalodia clavata (Dickie) O. Müll. = Rhopalodia rhopala

Rhopalodia gibba var. ventricosa (Kütz.) H. & M. Peragallo = Rhopalodia gibba

Rhopalodia gibberula var. sphaerula (Ehr.) O. Müll. = Rhopalodia gibberula

Rhopalodia gibberula var. vanheurckii O. Müll. = Rhopalodia gibberula

Rhopalodia hirundiniformis O. Müll. var. parva O. Müll. = Rhopalodia hirundiniformis

Rhopalodia parallela (Grun.) O. Müll. = Rhopalodia gibba var. parallela

Rhopalodia vermicularis O. Müll. = Rhopalodia rhopala

Rhopalodia vermicularis f. perlonga Fricke = Rhopalodia rhopala

Rhopalodia vermicularis f. recta Rich. = Rhopalodia rhopala

Schizostauron crucicula Grun. ex Cl. = Capartogramma crucicula

Schizostauron crucicula f. gracilior O. Müll. = Capartogramma crucicula

Schizostauron karstenii Zanon = Capartogramma karstenii

Stauroneis anceps var. linearis Ehr. = Stauroneis anceps

Stauroneis karstenii (O. Müll.) Hust. = Capartogramma karstenii

Stauroneis kriegeri Patrick = Stauroneis dahomensis

Stephanodiscus astraea: This invalid name applies to a complex of different taxa, which have not been separated in the past. Now it is split into several species. Recent research on the complex in Lake Nyasa/Malawi (KLEE & CASPER 1992) has already yield the description of two new taxa (S. muelleri and Cyclostephanos malawiensis). Examination of Lake Tanganyika material belonging to this complex may well prove the occurrence of these two and probably other new species.

Stephanodiscus astraea var. minutula (Kütz.) Grun. = Stephanodiscus minutulus

Stephanodiscus astraea var. spinulosus Grun. = Stephanodiscus astraea

Stephanodiscus damasii Hust. = Cyclostephanos damasii

Stephanodiscus hantzschii f. parvus Cl. & Möller = Stephanodiscus parvus

Surirella: The constriction of the valva margins seems to be a variable character, as has been proved by *Surirella engleri*. The variety *constricta* has now been included in *Surirella engleri*. Intensive studies, requiring cultures, may reduce the number of intraspecific taxa.

Surirella bifrons var. tumida f. minor O. Müll.= Surirella bifrons var. tumida

Surirella constricta (Ehr.) Ehr. var. africana O. Müll. = Surirella muelleri Hust. non Forti

Surirella constricta var. maxima O. Müll. = Surirella muelleri Hust. non Forti

Surirella engleri f. subconstricta O. Müll. = Surirella engleri

Surirella engleri f. sublaevis O. Müll. = Surirella engleri

Surirella engleri var. angustior O. Müll. = Surirella engleri

Surirella engleri var. constricta O. Müll. = Surirella engleri

Surirella fuellebornii var. constricta O. Müll. = Surirella fuellebornii

Surirella linearis var. constricta Grun. = Surirella linearis

Surirella malombae O. Müll. = Surirella nyassae

Surirella malombae f. acuta O. Müll. = Surirella nyassae

Surirella malombae var. tumida Ostenf. = Surirella nyassae

Surirella muelleri Hust. (1922): This name is a later homonym of *S. muelleri* Forti (1910); more studies are needed to determine whether its recognition is needed; in this case it should be given a new name.

Surirella nyassae var. engleri (O. Müll.) Ostenf. = Surirella engleri

Surirella nyassae var. malombae (O. Müll.) Ostenf. = Surirella nyassae

Surirella robusta Ehr. var. splendida (Ehr.) V.H. = Surirella splendida

Surirella rudis Hust. = Surirella terryi

Surirella sparsipunctata var. laevis Hust. = Surirella sparsipunctata

Surirella tanganicae G.S. West = Surirella brevicostata

Surirella tenera var. nervosa Schmidt= Surirella nervosa

Surirella tenera var. subcontricta Hust. = Surirella tenera

Synedra: In view of the very different treatments of the genus in recent treatises (KRAMMER & LANGE-BERTALOT 1991, ROUND et al. 1990) we choose to follow the classical treatment of HUSTEDT (1931-1959).

Synedra actinastroides Lemm. = Nitzschia fruticosa

Synedra acus var. delicatissima (W. Smith) Grun. = Synedra radians

Synedra acus var. radians (Kütz.) Hust. = Synedra radians

Synedra dorsiventralis O. Müll. = Synedra nyansae

Syncdra dorsiventralis f. angustae O. Müll. = Synedra nyansae

Synedra dorsiventralis f. breviores O. Müll. = Synedra nyansae

Synedra dorsiventralis var. cymbelliformis O. Müll. = Synedra nyansae

Synedra fasciculata (Ag.) Kütz. = Synedra tabulata var. fasciculata

Synedra intermedia Grun. = Synedra tabulata var. parva

Synedra limnetica Lemm. = Synedra berolinensis

Synedra tenuissima (Kütz.) Kütz. = Synedra radians

Synedra ulna var. lanceolata (Kütz.) Grun. = Synedra ulna

Synedra ulna var. splendens (Kütz.) V.H. = Synedra ulna

Synedra ulna var. splendens f. strumosa O. Müll. = Synedra ulna

Synedra ulna var. vitrea (Kütz.) Grun.= Synedra ulna var. amphirhynchus

Synedra vaucheriae Kütz. var. capitellata Grun. = Fragilaria vaucheriae var. capitellata

Synedra victoriae Wolosz. = Synedra berolinensis

Tabellaria fenestrata var. intermedia Grun. = Tabellaria fenestrata

Vanheurckia rhomboides (Ehr.) Bréb. = Frustulia rhomboides

Vanheurckia rhomboides var. saxonica (Rabh.) G.S. West = Frustulia rhomboides var. saxonica

Vanheurckia vulgaris (Thwaites) V.H. = Frustulia vulgaris

References

BACHMANN H. (1933) — Phytoplankton von Victoria Nyanza-, Albert Nyanza- Kiogasee. Ber. Schweiz. Bot. Ges. 42: 705-717.

BAXTER R.M., PROSSER M.W., TALLING J.F. & WOOD R.B. (1965) — Stratification in tropical African lakes at moderate altitude (1500 to 2000 m). *Limnol. Oceanogr.* 10: 510-520.

BEADLE L.C. (1981) — The inland waters of tropical Africa. An introduction to tropical linnology: 475 pp. Longman (2nd edition).

BORGE O. (1928) — Zellpflanzen Ostafrikas. 8. Süsswasseralgen. *Hedwigia* **68**: 93-114 + 2 pl.

BOURRELLY P. (1968) — Les algues d'eau douce. Tome II. Algues jaunes et brunes. 438 pp. Paris, Boubée & Cie.

CALJON A.G. (1987 a) — Phytoplankton of a recently landlocked brackish-water lagoon of Lake Tanganyika: a systematic account. *Hydrobiologia* **153**: 31-54.

CALJON A.G. (1987 b) — A recently landlocked brackish-water lagoon of Lake Tanganyika: physical and chemical characteristics, and spatio-temporal distribution of phytoplankton. *Hydrobiologia* **153**: 55-70.

CALJON A.G. (1991) — Sedimentary diatom assemblages in the northern part of Lake Tanganyika. *Hydrobiologia* **226**: 179-191.

CALJON A.G. (1992) — Water quality in the Bay of Bujumbura (Lake Tanganyika) and its influence on phytoplankton composition. *Mitt. Internat. Verein. Limnol.* 23: 55-65.

CALJON A.G. & COCQUYT C. (1992) — Diatoms from surface sediments of the northern part of Lake Tanganyika. *Hydrobiologia* **230**: 135-156.

COCQUYT C. (1991) — Epilithic diatoms from thrombolitic reefs of Lake Tanganika. *Belg. Journ. Bot.* **124(2)**: 102-108.

COCQUYT C., CALJON A. & VYVERMAN W. (1991) — Seasonal and spatial aspects of phytoplankton along the north-eastern coast of Lake Tanganyika. *Ann. Limnol.* 27 (3): 215-225.

COCQUYT C. & VYVERMAN W. (1993 a) — Surirella sparsipunctata Hustedt and S. sparsipunctata var. laevis Hustedt, a light and electron microscopical study. Proceed. 12th Internat. Diatom Symposium. *Hydrobiologia* 269-270: 97-101.

COCQUYT C. & VYVERMAN W. (1993 b) — Composition and diversity of the algal flora in the East African Great Lakes: a comparative survey of lakes Tanganyika, Malawi (Nyasa) and Victoria. *Advances in Limnol*.: in press.

COMPERE P. & KOMAREK J. (1990) — Proposal to conserve Scenedesmus quadricauda (Turpin) Brébisson with a conserved type under Art. 69.3 (Algae). *Taxon* **39**: 530-531.

CORILLON R. & GUERLESQUIN M. (1972) — Recherches sur les Charophycées d'Afrique occidentale. Bull. Soc. Scient. Bretagne 47 (fasc. h. s.): 169 pp.

COULTER G.W. (1991) — Lake Tanganyika and its life: 354 pp. Natural History Museum Publications. Oxford, University Press.

CROASDALE H., DE BICUDO C.E. & PRESCOTT G.W. (1983) — A synopsis of North American desmids. Part II. Desmidiaceae. Placodermae. Section 5: 116 pp + 23 pl. University of Nebraska Press.

DICKIE G. (1880) — Notes on algae from Lake Nyasa, East Africa. *Journ. Linn. Soc. Bot.* 17: 281-283.

ENGLER A. (1902) — Berichte uber die botanischen Ergebnisse der Nyassa-See und Kinga-Gebirgs-Expedition. IV. Die von W. Goetze am Rukwa-See und Nyassa-See sowie in dem zwischen beiden Seen gelegenen Gebirgslandern, inbesondere dem Kinga-gebirge gesammelten Pflanzen. *Bot. Jahrb.* 30: 239-253 + 2 pl.

ERLANDSSON S. (1928) — Diatomeen aus Afrika. Sv. Bot. Tidskr. 22: 449-461.

ETTL H. (1985) — Xanthophyceae. In: Ettl, H., Gerloff, J., Heybig, H. & Mollenhauer, D. (eds.) Süsswasserflora von Mitteleuropa 3(1): 530 p. Gustav Fischer, Stuttgart.

EVANS J.H. (1961) — Growth of Lake Victoria phytoplankton in enriched cultures. *Nature* **189**: 417.

EVANS J.H. (1962) — The distribution of phytoplankton in some Central East African waters. *Hydrobiologia* **19**: 299-315.

EVANS J.H. (1962) — Some new records and forms of algae in Central East Africa. *Hydrobiologia* **20**: 59-86.

FOTT B. (1968) — Cryptophyceae, Chloromonadophyceae, Dinophyceae. In: Huber-Pestalozzi (ed.) Die Binnengewässer. Das Phytoplankton des Süsswassers **16(3/2)**: 322 pp. Stuttgart, Schweizerbart'sche Verlag.

GASSE F. (1986) — East African Diatoms. Bibliotheca Diatomologica 11: 202 pp + 44 pl.

GASSE F., TALLING J.F. & KILHAM P. (1983) — Diatom assemblages in East Africa: classification, distribution and ecology. *Revue Hydrobiol. Trop.* **16(1)**: 3-34.

GEITLER L. (1932) — Cyanophyceae. In: Rabenhorst, Kryptogamen-Flora von Deutschland, Osterreich und der Schweiz **14(1,2)**: 1196 pp. Koenigstein, Koeltz.

GRÖNBLAD R., SCOTT M. & CROASDALE H. (1964) — Desmids from Uganda and Lake Victoria. *Acta Bot. Fenn.* **66**: 1-57.

GROVES H. & GROVES J. (1907) — Characeae: p. 26-27. In: Rendle, A.B., General report upon the botanical results of the third Tanganyika Expedition. *Journ. Linn. Soc. Bot.* 38: 18-28.

HABERYAN K.A. (1985) — The role of copepod fecal pellets in the deposition of diatoms in Lake Tanganyika. *Limnol. Oceanogr.* **30(5)**: 1010-1023.

HABERYAN K.A. (1990) — The misrepresentation of the planktonic diatom assemblage in traps and sediments: southern Malawi, Africa. *Journ. Paleolimnol.* 3(1): 35-44

HABERYAN K.A. & MHONE O.K. (1991) — Algal communities near Cape Maclear, southern Lake Malawi, Africa. *Hydrobiologia* **215**: 175-188.

HECKY R.E. & FEE E.J. (1981) — Primary production and rates of algal growth in Lake Tanganyika. *Limnol. Oceanogr.* **26**: 532-547.

HECKY R.E., FEE E.J. & KLING H. (1978) — Studies on the planktonic ecology of Lake Tanganyika. Fisheries & Marine Service Techn. Rep. 816: 51 pp.

HECKY R.E. & KLING H.J. (1981) — The phytoplankton and protozooplankton of the euphotic zone of Lake Tanganyika: species composition, biomass, chlorophyll content, and spatio-temporal distribution. *Limnol. Oceanogr.* 26: 548-564.

HECKY R.E. & KLING H.J. (1987) — Phytoplankton ecology of the Great Lakes in the Rift Valleys of Central Africa. Arch. Hydrobiol., Beihefte 25: 197-228.

HUBER-PESTALOZZI G. (1942) — Das Phytoplankton des Süsswassers: Diatomeen. In: Die Binnengewasser 16(2/2): 367-549. Stuttgart, Schweizerbart'sche Verlag.

HUBER-PESTALOZZI G. (1955) — Das Phytoplankton des Süsswassers: Euglenophyceen. In: Die Binnengewasser **16**(4): 606 pp. Stuttgart, Schweizerbart'sche Verlag.

HUSTEDT F. (1922) — Bacillariales. In: Schröder, B. Zellpflanzen Ostafrikas. *Hedwigia* **63**: 117-173.

HUSTEDT F. (1927-1930) — Die Kieselalgen. In: Rabenhorst, Kryptogamen-Flora von Deutschland, Österreich und der Schweiz 7(1): 920 pp. Leipzig, Acad. Verlag.

HUSTEDT F. (1931-1959) — Die Kieselalgen. In: Rabenhorst, Kryptogamen-Flora von Deutschland, Österreich und der Schweiz 7(2): 845 pp. Leipzig, Acad. Verlag.

HUSTEDT F. (1961-1966) — Die Kieselalgen. In: Rabenhorst, Kryptogamen-Flora von Deutschland, Österreich und der Schweiz **7(3)**: 816 pp. Leipzig, Acad. Verlag.

KILHAM P., KILHAM S.S. & HECKY R.E. (1986) — Hypothesized resource relationships among African planktonic diatoms. *Limnol. Oceanogr.* **31(6)**: 1169-1181.

KLEE R. & CASPER J. (1992) — New centric diatoms (Thalassiosirales) of Lake Malawi (Formely Lake Nyassa; Malawi, East Africa). *Arch. Protistenk.* **142**: 179-192.

KLEE R., SCHIEFELE S. & HERT E. (1990) — Planktische und benthische Diatomeen des Malawi Sees. In: Ricard, M. (éd.). Ouvrage dédié à la mémoire du professeur Henry Germain (1903-1989): 125-137. Königstein, Koeltz.

KOCIOLEK J.P. & STOERMER E.F. (1991) — New and interesting Gomphonema (Bacillariophyceae) species from East Africa. *Proceed. California Acad. Sc.* 47(9): 275-288.

KOCIOLEK J.P. & STOERMER E.F. (1993) — The diatom genus Gomphocymbella O. Müller: taxonomy, ultrastructure and phylogenetic relationships. *Nova Hedwigia, Beihefte* **106**: 71-91.

KOMAREK J. & FOTT B. (1983) — Chlorophyceae, Chlorococcales. In: Huber-Pestalozzi (ed.). Die Binnengewässer. Das Phytoplankton des Süsswassers 16(7/1): 1044 pp. Stuttgart, Schweizerbart'sche Verlag.

KOMAREK J. & KLING H. (1991) — Variation in six planktonic cyanophyte genera in Lake Victoria (East Africa). *Algol. Stud.* **61**: 21-45.

KRAMMER K. & LANGE-BERTALOT H. (1986) — Bacillariophyceae: Naviculaceae. In: Ettl, H., Gerloff, J., Heybig, H. & Mollenhauer, D. (eds.): Süsswasserflora von Mitteleuropa **2(1)**: 876 pp. Stuttgart, Gustav Fischer.

KRAMMER K. & LANGE-BERTALOT H. (1988) — Bacillariophyceae: Bacillariaceae, Epithemiacea, Surirellaceae. In: Ettl, H., Gerloff, J., Heybig, H. & Mollenhauer, D. (eds.): Süsswasserflora von Mitteleuropa 2(2): 596 pp. Gustav Fischer, Stuttgart.

KRAMMER K. & LANGE-BERTALOT H. (1991 a) — Bacillariophyceae: Centrales, Fragilariaceae, Eunotiaceae. In: Ettl, H., Gerloff, J., Heybig, H. & Mollenhauer, D. (eds.): Süsswasserflora von Mitteleuropa 2(3): 576 pp. Stuttgart, Gustav Fischer.

KRAMMER K. & LANGE-BERTALOT H. (1991 b) — Bacillariophyceae: Achnanthaceae, Kritische Ergänzunghen Navicula (Lineolatae) und Gomphonema. In: Ettl, H., Gerloff, J., Heybig, H. & Mollenhauer, D. (eds): Süsswasserflora von Mitteleuropa 2(4): 437 pp. Stuttgart, Gustav Fischer.

KUFFERATH H. (1956) — Organismes trouvés dans les carottes de sondages et les vases prélevées au fond du Lac Tanganyika. In: Résultats scientifiques de l'exploration hydrobiologique du lac Tanganika (1946-1947) 4(3): 74 p + 7 pl.. Bruxelles, Inst. Roy. Sc. Nat. Belg.

LIND E.M. (1972) — Some desmids from Uganda. Nova Hedwigia 22: 535-586.

Monteiro M.I. (1960). Contribuição para o estudo das Diatomâceas do Lago Niassa (Moçambique). Contribution to the study of the Diatomaceae of the Lake Nyasa (Mozambique). *Estud. Ensaios Doc. Lisbo*. **72**: 96 pp.

Monteiro M.I. (1963) — Segunda contribuição para o estudo das Diatomáceas do Lago Niassa (Moçambique). Second contribution to the study of the Diatomaceae of the Lake Nyasa (Mozambique). *Estud. Ensaios Doc. Lisbo.* **106**: 108 pp.

MPAWENAYO B. (1985) — La flore diatomique des rivières de la plaine de la Rusizi au Burundi. Bull. Soc. Roy. Bot. Belg. 118: 141-156.

MPAWENAYO B. (1986) — De waters van de Rusizi-vlakte (Burundi) : milieu, algenflora en -vegetatie. V.U.B. Faculteit Wetenschappen, Thesis: 270 pp + 64 pl.

MELACK J.M. (1979) — Temporal variability of phytoplankton in tropical lakes. *Oecologia* 44: 1-7.

MÜLLER O. (1903) — Bacillariaceen aus dem Nyassalande und einiger benachbarten Gebieten I. *Bot. Jahrb.* **34**: 9-38.

MÜLLER O. (1904) — Bacillariaceen aus dem Nyassalande und einiger benachbarten Gebieten II. *Bot. Jahrb.* **34**: 256-301.

MÜLLER O. (1905) — Bacillariaceen aus dem Nyassalande und einiger benachbarten Gebieten III. *Bot. Jahrb.* **36**: 137- 205.

MÜLLER O. (1914) — Bacillariaceen aus dem Nyassalande und einiger benachbarten Gebieten IV. *Bot. Jahrb.* **45**: 69-121.

MUZINO T. (1987) — Plankters and benthic organisms in the shore of the northern part of Lake Tanganyika. In: Kawanabe H. & Nagoshi M. (eds.): Ecological and limnological study on Lake Tanganyika and its adjacent regions 4: 62-63.

OSTENFELD C.H. (1908) — Phytoplankton aus dem Victoria Nyanza. Sammelausbeute von A. Borgert, 1904-1905. 8. Abhandlung. *Bot. Jahrb.* 41: 330-350.

OSTENFELD C.H. (1909) — Notes on the phytoplankton of Victoria Nyanza, East Africa. Bull. Mus. Comp. Zoology Harvard College 52(10): 171-181 + 2 pl.

PATRICK R. & REIMER C.W. (1966). The diatoms of the United States 1. Monogr. Acad. nat. Sci. Philadelphia 13(1): 688.

PATRICK R. & REIMER C.W. (1975) — The diatoms of the United States 2 (1). *Monogr. Acad. nat. Sci. Philadelphia* **13(2)**: 192.

POPOVSKY J. & PFIESTER L.A. (1990) — Dinophyceae. In: Ettl, H., Gerloff, J., Heybig, H. & Mollenhauer, D. (eds.): Süsswasserflora von Mitteleuropa 6: 272 pp. Stuttgart, Gustav Fischer.

PRESCOTT G.W., CROASDALE H.T. & VINYARD W.C. (1975) — A synopsis of North American desmids. 2. Desmidiaceae: Placodermae, Section 1: 297 pp + 57 pl. University of Nebraska Press.

PRESCOTT G.W., CROASDALE H.T. & VINYARD W.C. (1977) — A Synopsis of North American desmids. 2. Desmidiaceae: Placodermae, Section 2: 413 pp + 92 pl. University of Nebraska Press.

PRESCOTT G.W., CROASDALE H.T., VINYARD W.C. & BICUDO D. (1981) — A synopsis of North American desmids. 2. Desmidiaceae: Placodermae Section 3: 720 pp. + 144 pl. University of Nebraska Press.

RICHARDSON J.L. (1964) — Plankton and fossil plankton studies on certain East African lakes. *Verh. Internat. Verein. Limnol.* **15**: 993-999.

Ross R. (1953) — Diatoms. Appendix B, pp. 35-36. In: Annual report for 1952: 42 pp. East African Fisheries Research Organisation, Jinja, Uganda. Nairobi, East African High Commission.

Ross R. (1955) — The algae of the East African great lakes. *Verh. Internat. Verein. Limnol.* 12: 320-326.

Ross R. (1983) — Endemism and cosmopolitism in the diatom flora of the East African Great Lakes. In: Sims, R.W., Price, J.H. & Whalley, P.E.S. (eds.): Evolution, time & space. Systematics Ass. Special 23: 157-177. Academic Press.

ROUND F.E. (1981) — The ecology of algae: 653 pp. Cambridge, University Press

RUZICKA J. (1977) — Die Desmidiaceen Mitteleuropas 1(1): 239 pp. Stuttgart, Schweizerbart'sche Verlag.

RUZICKA J. (1981) — Die Desmidiaceen Mitteleuropas 1(2): 736 pp + 72 pl. Stuttgart, Schweizerbart'sche Verlag.

SCHMIDLE W. (1898) — Die von Professor Dr. Volkens und Dr. Stuhlmann in Ost-Afrika gesammelten Desmidiaceen. *Bot. Jahrb.* **26**: 1-59.

SCHMIDLE W. (1899) — Über Planktonalgen und Flagellaten aus den Nyassasee. *Bot. Jahrb.* 27: 229-237.

SCHMIDLE W. (1902) — Berichte über die botanischen Ergebnisse der Nyassa-See und Kinga Gebirgs Expedition der Hermann- und Elise-geb. Heckmann-Wentzel-Stiftung. 5 Algen, insbesondere solche des Plankton, aus dem Nyassa-See und seiner Umgebung, gesammelt von Dr. Fülleborn. *Bot. Jahrb.* 32: 56-88.

SCHMIDLE W. (1902) — Berichte über die botanischen Ergebnisse der Nyassa-See und Kinga-Gebirgs-Expedition der Hermann- und Elise-geb. Heckmann-Wentzel-Stiftung. 6 Das Chloro- und Cyanophyceenplankton des Nyassa und einiger anderer innerafrikanischer Seen. *Bot. Jahrb.* 33: 1-33.

SCHMIDT A. (ed.) (1874-1959) — Atlas der Diatomaceenkunde: 472 pl. Leipzig, O. R. Reisland.

SCHRÖDER B. (1912) — Rhizosolenia victoriae n. sp. Ber. Deutsch. Bot. Ges. 29: 739-743.

SIMONSEN R. (1987) — Atlas and catalogue of the diatom types of Friedrich Hustedt. 3 Volumes: 525 pp. + 722 pl. Berlin, J. Cramer.

STAGER J.C. (1984) — The diatom record of Lake Victoria (East Africa): the last 17,000 years. In: Proceed. Seventh Internat. Diat. Symp. (ed. Mann, D.G.): 455-476. Koenigstein, Koeltz.

STARMACH K. (1983) — Euglenophyta. In: Starmach, K. & Sieminska, J. (eds.): Flora Sodkowodna Polski 3: 595 pp. Warsawa, Wydawnictwa.

STARMACH K. (1985) — Chrysophyceae und Haptophyceae. In: Ettl, H., Gerloff, J., Heybig, H. & Mollenhauer, D. (eds.): Süsswasserflora von Mitteleuropa 1: 515 pp. Stuttgart, Gustav Fischer.

STOERMER E.F. & HÅKANSSON H. (1983) — An investigation of the morphological structure and taxonomic relationship of Stephanodiscus damasii Hustedt. *Bacillaria* 6: 245-256.

SYMOENS J.-J. (1955 a) — Observation d'une fleur d'eau à Cyanophycées au Lac Tanganyika. *Folia Scient. Afr. Centr.* **1(3)**: 17.

SYMOENS J.-J. (1955 b) — Sur le maximum planctonique observé en fin de saison sèche dans le bassin nord du Lac Tanganyika. Folia Scient. Afr. Centr. 1(4): 12.

SYMOENS J.-J. (1956) — Sur la formation de "fleur d'eau" à Cyanophycées (Anabaena flos-aquae) dans le bassin nord du Lac Tanganyika. *Bull. Acad. Sci. Colon. Belg.* 2: 414-419.

TALLING J.F. (1957) — Some observations on the stratification of Lake Victoria. *Limnol. Oceanogr.* 3: 213-221.

TALLING J.F. (1965 a) — The photosynthetic activity of phytoplankton in East African Lakes. *Intern. Rev. Ges. Hydrobiol. Hydrogr.* **50**: 1-32.

TALLING J.F. (1965 b) — Comparative problems of phytoplankton production and photosynthetic productivity in a tropical and a temperate lake. In: Primary productivity inaquatic environments. *Mem. Ist. Ital. Idrobiol.* **18** (Suppl.): 399-424.

TALLING J.F. (1966) — The annual cycle of stratification and phytoplankton growth in Lake Victoria (East Africa). *Intern. Rev. Ges. Hydrobiol. Hydrogr.* **51**: 545-621.

TALLING J.F. (1987) — The phytoplankton of Lake Victoria (East Africa). Arch. Hydrobiol., Beihefte 25: 229-256.

TEILING E. (1967) — The desmid genus Staurodesmus. Ark. Bot. 2(6): 467-629.

THOMASSON K. (1955) — A plankton sample from Lake Victoria. Svensk Bot. Tidskr. 49: 259-274.

VANLANDINGHAM S.L. (1967-1979) — Catalogue of the fossil and recent genera and species of diatoms and their synonyms. Part 1-8: 4654 pp. Lehre - Vaduz, J. Cramer.

VAN MEEL L. (1954) — Le phytoplancton. In: Résultats scientifiques de l'exploration hydrobiologique du lac Tanganika (1946-1947) **4(1)**, A: 681 pp, B: 76 pl. Bruxelles, Inst. Roy. Sc. Nat. Belg.

VIRIEUX J. (1913) — Plancton di lac Victoria Nuanza. In : Voyage de Ch. Alluaud et R. Jeannel en Afrique orientale (1911-1912). Résultats scientifiques: 20 pp. Paris.

VYVERMAN W. & COCQUYT C. (1993) — Depth distribution of living and non-living diatoms in the northern part of Lake Nyasa (Tanzania). Verh. Internat. Verein. Limnol.: in press.

WEST G.S. (1907) — Report on the freshwater algae, including phytoplankton, of the Third Tanganyika Expedition conducted by Dr. W. A. Cunnington, 1901-1905. *Journ. Linn. Soc. Bot.* **38**: 81-197.

Woloszynska J. (1914) — Zellpflanzen Ostafrikas, V. Studien über das Phytoplankton des Viktoriasees. *Hedwigia* **55**: 184-223 + 8 pl.

Wood R.D. (1955) — Characeae. In: Résultats scientifiques de l'exploration hydrobiologique du lac Tanganika (1946-1947) **4(2)**: 3-19 + 3pl. Bruxelles, Inst. Roy. Sc. Nat. Belg.

WOOD R.D. & IMAHORI K. (1965) — A revision of the Characeae. 1 (Monograph): XXIV + 904 pp, 2 (Iconograph): 395 pl.


WORTHINGTON E.B. (1930) — Observations on the temperature, hydrogen-ion concentration, and other physical conditions of the Victoria and Albert Nyanzas. *Int. Rev. Ges. Hydrobiol. Hydrogr.* 24: 328-357.

Other books

edited by the National Botanic Garden of Belgium

- Flore d'Afrique Centrale (Zaïre-Rwanda-Burundi). Two series (Pteridophyta and Spermatophyta), each in family volumes.
- Flore illustrée des champignons d'Afrique Centrale. In fascicles.
- **Distributiones plantarum Africanarum**. Distribution maps of African plant species, published in fascicles.
- COMPÈRE P. Flore pratique des algues d'eau douce de Belgique. 1. Cyanophyceae (1986). 2. Pyrrhophytes, Rhapidophytes & Euglenophytes (1989). 3. Rhodophytes (1991). 4. Charophytes (1992). A full flora of the freshwater algae from Belgium, with keys, synonymy, descriptions, illustrations and distributional data.
- CUFODONTIS G. (reprint 1974) **Enumeratio Plantarum Aethiopiae. Spermatophyta:** 1657 p. Global survey of the flora of Ethiopia and Somalia.
- GHAZANFAR S.A. (1992) An annotated catalogue of the vascular plants of Oman and their vernacular names. *Scripta bot. Belg.* **2**: 153 p.
- RAMMELOO J. & WALLEYN R. (1993) The edible fungi of Africa south of the Sahara. Scripta bot. Belg. 5: 62 p. Literature survey of the 300 species reported to be edible.
- ROBBRECHT E. (1988) Tropical woody Rubiaceae. Characteristic features and progressions. Contributions to a new subfamilial classification. Opera bot. Belg. 1: 272 p. World monograph of the large, essentially tropical coffee family.
- SEYANI J.H. (1991) **The genus** *Dombeya* (Sterculiaceae) in continental Africa. *Opera bot. Belg.* **2**: 188 p. Systematic revision.
- Puff C., Ed. (1991) **The genus** *Paederia* **L. (Rubiaceae Paederieae):** a **multidisciplinary study**. *Opera bot. Belg.* **3**: 376 p. World monograph.
- TRIEST L., Ed. (1991) **Isozymes in water plants**. *Opera bot. Belg.* **4**: 264 p. Molecular systematics of diverse groups of water plants.

The above list contains only a selection of items relating to algae, Africa or tropical countries. For a full catalogue and other information contact: National Botanic Garden of Belgium, Domein van Bouchout, B-1860 Meise, Belgium (fax ** 32 2 270 15 67)



The East African Great Lakes

Abbreviations used:

N : Lake Nyasa/Lake Malawi

T : Lake Tanganyika

V : Lake Victoria

* : taxon cited from lake(s) under synonym(s); cf. list of synonyms p. 35

**: cf. nomenclatural or taxonomic comment in list of synonyms p. 35

[]: used to indicate combinations not available

ISBN 90-72619-15-3 ISSN 0779-2387 D/1993/0325/5

The present check-list of the algal flora of the East African great lakes summarizes knowledge on the biodiversity of the phytoplankton and -benthos of these large ecosystems. It will serve all future ecological and limnological research in these impressive parts of tropical Africa.

About the authors:

C. Cocquyt is a limnologist of the University of Ghent. She lived in Burundi from 1979 to 1990, where she started her research on the algae of Lake Tanganyika, assisted by her husband A. Caljon (†).

W. Vyverman is equally a limnologist of the University of Ghent. He obtained a doctorate in botany with a study of the desmids and diatoms of Papua New Guinea. At present he works on meromictic lakes at Deakin University, Victoria (Australia).

P. Compère is a senior scientific officer at the National Botanic Garden of Belgium; he is an algologist with a long experience in tropical Africa. He is the author of an algal flora of the Lake Chad area.